AUTHOR INDEX

VOLUME 57, 1985

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABER, V. R. *see* CARLI, F., (*ARS*) 820P
ACHOLA, K. J. *see* FELL, D. 770
ACKERN, K. VAN, VETTER, H. O., BRUCKNER, U. B., MADLER, C., MITTMAN, U. and PETER, K. Effects of enflurane on myocardial ischaemia in the dog 497
ADAMS, A. P. *see* CASHMAN, J. N. 255; JONES, R. M. 259
ADDISON, G. M. *see* MEAKIN, G., (*ARS*) 832P
ADELHØJ, B., PETRING, O. U., BRYNNUM, J., IBSEN, M. and ENGHUSEN POULSEN, H. Effect of diazepam on drug absorption and gastric emptying in man 1107
ADELHØJ, B. *see* PETRING, O. U. 1104
AGOSTON, S. *see* BENCINI, A. F. 782; 789; RASHKOVSKY, O. M. 1063
AITKENHEAD, A. R. *see* SHANKS, A. B. 807; (*ARS*) 832P
ÅKERMAN, S. B. A. A methodological study of spinal (subarachnoid) anaesthesia in the rat and the mouse 329
ALATIENNE, M. *see* KANTELIP, J. P. 214
ALBERTI, K. G. M. M. *see* MCKNIGHT, C. K. 595
ALDRETE, J. A. Allergic reaction after atracurium, (*C*) 929
ALDRIDGE, L. M. Anaesthetic problems in myotonic dystrophy. *A Case Report and Review of the Aberdeen Experience Comprising 48 General Anaesthetics in a Further 16 patients* 1119
ALGIE, T. A., SETH, A., BARBENEL, J. C., GALLOWAY, D. J., GRAY, W. M. and SPENCE, A. A. Nitrous oxide and wound healing 621
ALI, H. H. *see* SCOTT, R. P. F. 550
ALLAN, P. L. *see* LOGAN, M. R., (*ARS*) 348P
ALLEN, M. C. *see* KAY, N. H. 736
AMIOT, J. F., BOUJU, P. and PALACCI, J. H. Effect of naloxone on loss of consciousness induced by i.v. ketamine, (*C*) 930
ANDERSEN, J. *see* HJORTSØ, N.-C. 400
ANDERSEN, P. K. *see* OBEL, D. 271
ANDERSEN, S. *see* MARSTRAND, T. 971
ANDERSON, K. A. and MARSHALL, R. J. Interactions between calcium entry blockers and vecuronium bromide in anaesthetized cats 775
ANDERSON, S., MCGUIRE, R. and MCKEOWN, D. Comparison of the cognitive effects of premedication with hyoscine and atropine 169
ANDRADE, P. *see* GONCALVES, F., (*C*) 240
ANGER, C., CARTER, J. and PRYS-ROBERTS, C. Ketanserin and postoperative hypertension following cardiopulmonary bypass, (*ARS*) 339P
ANIS, M. and SALIM, M. *Anaesthesia: Lecture Notes for Students*, (*R*) 457
ARNOLD, E. *see* SONANDER, H. 578
ARVIEUX, C. C. *see* RAMSAY, J. G., (*ARS*) 817P; VIDECOQ, M., (*ARS*) 825P
ASBURY, A. J. *see* LINKENS, D. A., (*ARS*) 829P
ASTRUP, J. *see* BENDTSEN, A. 369
AUSEMS, M. E., STANSKI, D. R. and HUG, C. C. An evaluation of the accuracy of pharmacokinetic data for the computer assisted infusion of alfentanil 1217
AXELSSON, K. H., WIDMAN, G. B., SUNDBERG, A. E. A. and HALLGREN, S. A double-blind study of motor blockade in the lower limbs. *Studies during spinal anaesthesia with hyperbaric and glucose-free 0.5% bupivacaine* 960
AYLING, J. H., ELLIS, F. R., HALSALL, P. J. and CURRIE, S. Thermoregulatory responses to cooling in patients susceptible to malignant hyperpyrexia 983

BACH, V., CARL, P., RAVLO, O., CRAWFORD, M. and KRUSE, L. Extradural droperidol potentiates extradural opioids, (*C*) 238
BADEN, J. M. *see* KUNDOMAL, Y. R. 900
BAGSHAW, P. F. *see* VICKERS, A., (*ARS*) 820P
BAHAR, M. *see* LI, D. F. 424, 515
BAINES, D. B., WHITTLE, I. R., CHASELING, R. W., OVERTON, J. H. and JOHNSTON, I. H. Effect of halothane on spinal somatosensory evoked potentials in sheep 896
BALDO, B. A. *see* HARLE, D. G. 1073
BALI, I. M. and DUNDEE, J. W. Effect of i.v. induction regimens on endotracheal intubation with alcuronium and atracurium, (*ARS*) 830P
BANKS, P. and PEACE, C. B. Enzyme inhibition by steroid anaesthetic agents derived from progesterone 512
BAR, Z. G. Is Urografin anti-anaesthetic?, (*C*) 835
BARAKA, A. Selective contralateral bronchial intubation in children with pneumothorax or bronchopleural fistula, (*C*) 237
BARBENEL, J. C. *see* ALGIE, T. A. 621
BARDOSI, L. and TEKERES, M. Impaired metabolic activity of phagocytic cells after anaesthesia and surgery 520
BASTA, S. J. *see* SCOTT, R. P. F. 550
BATEMAN, P. E. *see* THORNTON, C. 554
BATSON, A. G. *see* SCOTT, R. P. F. 550
BEILIN, B. and VATASHSKY, E. Safe anaesthetic for laparoscopy with spontaneous respiration, (*C*) 1041
BELL, A. *see* DERBYSHIRE, D. R. 858
BELL, C. F., HUNTER, J. M., JONES, R. S. and UTTING, J. E. Use of atracurium and vecuronium in patients with oesophageal varices 160
BELL, C. F. *see* HUNTER, J. M. 758
BENCINI, A. F., HOUWERTJES, M. C. and AGOSTON, S. Effects of hepatic uptake of vecuronium bromide and its putative metabolites on their neuromuscular blocking actions in the cat 789
BENCINI, A. F. and NEWTON, D. E. F. Intubating conditions with vecuronium, (*C*) 932
BENCINI, A. F., SCAF, A. H. J., AGOSTON, S., HOUWERTJES, M. C. and KERSTEN, U. W. Disposition of vecuronium bromide in the cat 782
BENCINI, A. *see* NEWTON, D. E. F, (*ARS*) 345P
BENDTSEN, A., KRUSE, A., MADSEN, J. B., ASTRUP, J., ROSENORN, J., BLATT-LYON, B. and COLD, G. E. Use of a continuous infusion of Althesin in neuroanaesthesia. *Changes in cerebral blood flow, cerebral metabolism, the EEG and plasma alphaxalone concentration* 369

AUTHOR INDEX

VOLUME 57, 1985

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABER, V. R. *see* CARLI, F., (*ARS*) 820P
ACHOLA, K. J. *see* FELL, D. 770
ACKERN, K. VAN, VETTER, H. O., BRUCKNER, U. B., MADLER, C., MITTMAN, U. and PETER, K. Effects of enflurane on myocardial ischaemia in the dog 497
ADAMS, A. P. *see* CASHMAN, J. N. 255; JONES, R. M. 259
ADDISON, G. M. *see* MEAKIN, G., (*ARS*) 832P
ADELHØJ, B., PETRING, O. U., BRYNNUM, J., IBSEN, M. and ENGHUSEN POULSEN, H. Effect of diazepam on drug absorption and gastric emptying in man 1107
ADELHØJ, B. *see* PETRING, O. U. 1104
AGOSTON, S. *see* BENCINI, A. F. 782; 789; RASHKOVSKY, O. M. 1063
AITKENHEAD, A. R. *see* SHANKS, A. B. 807; (*ARS*) 832P
ÅKERMAN, S. B. A. A methodological study of spinal (subarachnoid) anaesthesia in the rat and the mouse 329
ALATIENNE, M. *see* KANTELIP, J. P. 214
ALBERTI, K. G. M. M. *see* MCKNIGHT, C. K. 595
ALDRETE, J. A. Allergic reaction after atracurium, (*C*) 929
ALDRIDGE, L. M. Anaesthetic problems in myotonic dystrophy. *A Case Report and Review of the Aberdeen Experience Comprising 48 General Anaesthetics in a Further 16 patients* 1119
ALGIE, T. A., SETH, A., BARBENEL, J. C., GALLOWAY, D. J., GRAY, W. M. and SPENCE, A. A. Nitrous oxide and wound healing 621
ALI, H. H. *see* SCOTT, R. P. F. 550
ALLAN, P. L. *see* LOGAN, M. R., (*ARS*) 348P
ALLEN, M. C. *see* KAY, N. H. 736
AMIOT, J. F., BOUJU, P. and PALACCI, J. H. Effect of naloxone on loss of consciousness induced by i.v. ketamine, (*C*) 930
ANDERSEN, J. *see* HJORTSØ, N.-C. 400
ANDERSEN, P. K. *see* OBEL, D. 271
ANDERSEN, S. *see* MARSTRAND, T. 971
ANDERSON, K. A. and MARSHALL, R. J. Interactions between calcium entry blockers and vecuronium bromide in anaesthetized cats 775
ANDERSON, S., MCGUIRE, R. and MCKEOWN, D. Comparison of the cognitive effects of premedication with hyoscine and atropine 169
ANDRADE, P. *see* GONCALVES, F., (*C*) 240
ANGER, C., CARTER, J. and PRYS-ROBERTS, C. Ketanserin and postoperative hypertension following cardiopulmonary bypass, (*ARS*) 339P
ANIS, M. and SALIM, M. *Anaesthesia: Lecture Notes for Students*, (*R*) 457
ARNOLD, E. *see* SONANDER, H. 578
ARVIEUX, C. C. *see* RAMSAY, J. G., (*ARS*) 817P; VIDECOQ, M., (*ARS*) 825P
ASBURY, A. J. *see* LINKENS, D. A., (*ARS*) 829P
ASTRUP, J. *see* BENDTSEN, A. 369
AUSEMS, M. E., STANSKI, D. R. and HUG, C. C. An evaluation of the accuracy of pharmacokinetic data for the computer assisted infusion of alfentanil 1217
AXELSSON, K. H., WIDMAN, G. B., SUNDBERG, A. E. A. and HALLGREN, S. A double-blind study of motor blockade in the lower limbs. *Studies during spinal anaesthesia with hyperbaric and glucose-free 0.5% bupivacaine* 960
AYLING, J. H., ELLIS, F. R., HALSALL, P. J. and CURRIE, S. Thermoregulatory responses to cooling in patients susceptible to malignant hyperpyrexia 983

BACH, V., CARL, P., RAVLO, O., CRAWFORD, M. and KRUSE, L. Extradural droperidol potentiates extradural opioids, (*C*) 238
BADEN, J. M. *see* KUNDOMAL, Y. R. 900
BAGSHAW, P. F. *see* VICKERS, A., (*ARS*) 820P
BAHAR, M. *see* LI, D. F. 424, 515
BAINES, D. B., WHITTLE, I. R., CHASELING, R. W., OVERTON, J. H. and JOHNSTON, I. H. Effect of halothane on spinal somatosensory evoked potentials in sheep 896
BALDO, B. A. *see* HARLE, D. G. 1073
BALI, I. M. and DUNDEE, J. W. Effect of i.v. induction regimens on endotracheal intubation with alcuronium and atracurium, (*ARS*) 830P
BANKS, P. and PEACE, C. B. Enzyme inhibition by steroid anaesthetic agents derived from progesterone 512
BAR, Z. G. Is Urografin anti-anaesthetic?, (*C*) 835
BARAKA, A. Selective contralateral bronchial intubation in children with pneumothorax or bronchopleural fistula, (*C*) 237
BARBENEL, J. C. *see* ALGIE, T. A. 621
BARDOSI, L. and TEKERES, M. Impaired metabolic activity of phagocytic cells after anaesthesia and surgery 520
BASTA, S. J. *see* SCOTT, R. P. F. 550
BATEMAN, P. E. *see* THORNTON, C. 554
BATSON, A. G. *see* SCOTT, R. P. F. 550
BEILIN, B. and VATASHSKY, E. Safe anaesthetic for laparoscopy with spontaneous respiration, (*C*) 1041
BELL, A. *see* DERBYSHIRE, D. R. 858
BELL, C. F., HUNTER, J. M., JONES, R. S. and UTTING, J. E. Use of atracurium and vecuronium in patients with oesophageal varices 160
BELL, C. F. *see* HUNTER, J. M. 758
BENCINI, A. F., HOUWERTJES, M. C. and AGOSTON, S. Effects of hepatic uptake of vecuronium bromide and its putative metabolites on their neuromuscular blocking actions in the cat 789
BENCINI, A. F. and NEWTON, D. E. F. Intubating conditions with vecuronium, (*C*) 932
BENCINI, A. F., SCAF, A. H. J., AGOSTON, S., HOUWERTJES, M. C. and KERSTEN, U. W. Disposition of vecuronium bromide in the cat 782
BENCINI, A. *see* NEWTON, D. E. F, (*ARS*) 345P
BENDTSEN, A., KRUSE, A., MADSEN, J. B., ASTRUP, J., ROSENORN, J., BLATT-LYON, B. and COLD, G. E. Use of a continuous infusion of Althesin in neuroanaesthesia. *Changes in cerebral blood flow, cerebral metabolism, the EEG and plasma alphaxalone concentration* 369

BENNETT, H. L., DAVIS, H. S. and GIANNINI, J. A. Non-verbal response to intraoperative conversion 174
BENNETT, S. *see* SMITH, R. J., (*ARS*) 352P
BEVAN, D. R. *see* BEVAN, J. C. 1204
BEVAN, J. C., DONATI, F. and BEVAN, D. R. Attempted acceleration of the onset of action of pancuronium. Effects of divided doses in infants and children 1204
BHOJRAJ, Y. G. Selective contralateral bronchial intubation in children with pneumothorax or bronchopleural fistula, (*C*) 237
BILSBACK, P., ROLLEY, G. and TAMPUBOLON, O. Efficacy of the extradural administration of lofentanil, buprenorphine or saline in the management of postoperative pain 943
BINGHAM, R. M., PROCACCIO, F., PRIOR, P. F. and HINDS, C. J. Cerebral electrical activity influences the effects of etomidate on cerebral perfusion pressure in traumatic coma 843
BINGHAM, R. M., SWEENEY, B. and COLE, P. V. Bone marrow changes after chronic inhalation of nitrous oxide, (*ARS*) 342P
BJÖRKMAN, S. *see* QUAYNOR, H. 573
BLACK, A. M. S. *see* GOODMAN, N. W. 319; MADDEN, A. P., (*C*) 541; PFEIFFER, P. M., (*ARS*) 823P
BLACK, G. W. *see* GALLAGHER, T. M., (*ARS*) 337P
BLACK, T. E., HEALY, T. E. J., KAY, B., PUGH, N. D. and HARPER, N. J. N. The interaction of atracurium and vecuronium, (*ARS*) 344P
BLATT-LYON, B. *see* BENDTSEN, A. 369
BLITT, C. D. *see* BROWN, B. R. jr, (*R*) 140
BLUNNIE, W. P. *see* MCSHANE, A. J., (*ARS*) 347P
BOADEN, R. W. Medical gas delivery systems, (*C*) 242
BOAS, R. A. and VILLIGER, J. W. Clinical actions of fentanyl and buprenorphine. The significance of receptor binding 192
BOAS, R. A. *see* HATANGDI, V. S. 285
BOGETZ, M. S. *see* WEISKOPF, R. B. 1022
BOHEIMER, N., WARD, S., DOPSON, T., SIMMONDS, R., WEATHERLY, B. and WILLIAMS, S. Pharmacokinetics of laudanosine and quaternary alcohol after an i.v. bolus dose of atracurium in patients with impaired renal function, (*ARS*) 345P
BOIDIN, M. P. Airway patency in the unconscious patient 306
BOLTON, D. T. pH and atracuruium, (*C*) 545
BONNET, F. *see* KORINEK, A. M. 407
BOOIJ, L. H. D. J. *see* DRIESSEN, J. J. 1089
BOSCOE, M. J., DAWLING, S. and WALMSLEY, A. J. Midazolam in neurosurgery: concentrations in peripheral blood, cerebrospinal fluid and brain, (*ARS*) 834P
BOSCOE, M. J., WEINMAN, J. A., SKELLY, A. M. and MILSTEIN, P. A. Assessment of psychomotor performance following i.v. diazepam or midazolam for minor oral surgery, (*ARS*) 350P
BOTTIGLIERI, T. *see* NUNN, J. F., (*ARS*) 342P
BOUJU, P. *see* AMIOT, J. F., (*C*) 930
BOURGAIN, J.-L. *see* MORTIMER, A. J., (*ARS*) 819P
BOURRELI, B. *see* FISCHLER, M. 382
BOVILL, J. G. *see* SCHULLER, J. K. 1257
BOWER, S. *see* WRIGHT, D. J., (*ARS*) 347P
BOYLE, M. M. *see* LAVERY, G. G. 811
BRAIDWOOD, J. M. *see* CALDWELL, J. E. 765
BRANDE, S. *see* ROYSTON, D., (*ARS*) 814P
BRANDER, P. *see* KARHUNEN, U. 1209
BRICKER, S. R. W. and SUGDEN, J. C. Anaesthesia for surgery in a patient with a transplanted heart 634
BRIGGS, L. P. *see* COCKSHOTT, I. D., (*ARS*) 822P
BROADBENT, M. P., SWAN, P. C. and JONES, R. M. Interactions between diltiazem and isoflurane. *An in vitro investigation in isolated guineapig atria* 1018
BROCK-UTNE, J. G., DOWNING, J. W., MANKOWITZ, E. and RUBIN, J. Intrathecal ketamine in rats, (*C*) 837
BRODATY, D. *see* FISCHLER, M. 493, 877
BROOKER, J. *see* REDFERN, N., (*ARS*) 349P
BROWN, B. R. jr, (editor). *Future Anaesthesia Delivery Systems*, (*R*) 453
BROWN, B. R. jr, BLITT, C. D. and VAUGHAN, R. W. *Clinical Anesthesiology*, (*R*) 1140
BROWN, D. *see* LOGAN, M. R., (*ARS*) 348P
BRUCKNER, U. B. *see* ACKERN, K. VAN 497
BRYNNUM, J. *see* ADELHØJ, B. 1107; PETRING, O. U. 1104
BUKHT, M. D. G. *see* EVANS, S. F. 624
BULLINGHAM, R. E. S. *see* MCQUAY, H. J. 412
BURCHETT, K., MADDEN, A. P. and HUTTON, P. A. Comparison of neuromuscular recovery following blockade by atracurium and pancuronium, (*ARS*) 338P
BURT, D. R. *see* VICKERS, A., (*ARS*) 830P
BUSH, G. H. *see* SMITH, C. L. 1113
BYRNE, A. J. and YEOMAN, P. M. Etomidate and adrenocortical synthesis in man, (*C*) 1264

CALDWELL, J. E., BRAIDWOOD, J. M. and SIMPSON, D. S. Vecuronium bromide anaesthesia for laparoscopic sterilization 765
CALVEY, T. N. *see* CHARWAY, C. L. 949
CAMPAILLA, A. Fixation of extradural catheters, (*C*) 1043
CAMPBELL, I. T. Exercise, cyclic AMP and malignant hyperpyrexia susceptibility, (*C*) 837; *see* RAO, U., (*ARS*) 814P
CANFELL, C. *see* FAHEY, M. R. 1049
CARAPETIS, R. J. *see* RUNCIMAN, W. B. 1239
CARDAMONE, M. *see* RUCCI, F. S. 275
CARDAN, E. Spinal morphine in enuresis, (*C*) 354
CARL, P. *see* BACH, V., (*C*) 238; CRAWFORD, M. E., (*C*) 1043
CARLI, F. and ITIABA, K. Muscle proteolysis and body temperature changes associated with major abdominal surgery in elderly patients, (*ARS*) 350P
CARLI, F., GABRIELCZYK, M., CLARK, M. M. and ABER, U. R. Postoperative hypothermia: factors affecting rewarming, (*ARS*) 820P
CARLISLE, R. J. T., DUNDEE, J. W., HARPER, K. W. and COLLIER, P. S. Aberrant elimination half-life of midazolam, (*ARS*) 834P
CARLSSON, P. *see* HALLÉN, B. 326
CARRIE, L. E. S. 0.75% Bupivacaine, (*C*) 240
CARROLL, D. *see* MCQUAY, H. J. 412
CARSON, I. W. *see* LOWRY, K. G. 883
CARTER, J. A. *see* MCATEER, P. M., (*ARS*) 826P
CARTER, J. *see* ANGER, C., (*ARS*) 339P
CASHMAN, J. N., JONES, R. M., FOSTER, J. M. G. and ADAMS, A. P. Comparison of infusions of morphine and lysine acetyl salcilylate for the relief of pain after surgery 255
CASHMAN, J. N., JONES, R. M. and VELLA, L. M. Fade characteristics and onset times following administration of pancuronium, tubocurarine and a mixture of both agents 488
CASHMAN, J. N., VELLA, L. M., CASSON, W. R. and JONES, R. M. Latent and manifest onset characteristics after administering pancuronium, tubocurarine or a mixture of both agents, (*ARS*) 338P
CASHMAN, J. N. *see* JONES, R. M. 259
CASSON, W. R. and JONES, R. M. Cardiac rate and rhythm during anaesthesia for dental extraction. *A comparison of halothane, enflurane and isoflurane* 476
CASSON, W. R. *see* CASHMAN, J. N., (*ARS*) 338P; JONES, R. M., (*ARS*) 828P; PEARCE, A. C. 602
CASTAGNOLI, K. *see* FAHEY, M. R. 1049
CATLEY, D. M. *see* RAO, U., (*ARS*) 814P
CHAKRABARTI, M. K. *see* HARROP-GRIFFITHS, A. W., (*ARS*) 819P; PERL, A., (*ARS*) 824P
CHAKRAVORTI, S. *see* STILLER, R. L. 1085
CHALLEN, K. B. and WELCHEW, E. A. An investigation into the sources of variability in pain data, (*ARS*) 346P
CHARLTON, A. J., LINDAHL, S. G. E. and HATCH, D. J. Ventilatory responses of children to changes in

deadspace volume. *Studies using the* T*-piece* (*Mapleson F*) *system* 562
CHARLTON, A. J. *see* LINDAHL, S. G. E. 1188
CHARWAY, C. L. A., CALVEY, T. N., WILLIAMS, N. E. and MURRAY, G. R. Postoperative analgesia with Duromorph 949
CHASELING, R. W. *see* BAINES, D. B. 896
CHAUSSAIN, M. *see* MURAT, I. 1197
CHAUVIN, M., SALBAING, J., PERRIN, D., LEVRON, J. C. and VIARS, P. Clinical assessment and plasma pharmacokinetics associated with intramuscular or extradural alfentanil 886
CHESTNUTT, W. N. and DUNDEE, J. W. Acupuncture for relief of meptazinol-induced vomiting, (*ARS*) 825P
CHESTNUTT, W. N. and DUNDEE, J. W. Failure of magnesium sulphate to prevent suxamethonium-induced muscle pain, (*ARS*) 351P
CHILD, C. S. and KAUFMAN, L. Effect of intrathecal diamorphine on the adrenocortical, hyperglycaemic and cardiovascular responses to major colonic surgery 389
CHRAEMMER-JØRGENSEN, B. *see* PEDERSEN, J. E., (*C*) 1045
CHRISTENSEN, N. J. *see* HJORTSØ, N.-C. 400
CHRUBASIK, J. *see* FRIEDRICH, G., (*C*) 936
CHURCHILL-DAVIDSON, H. C., (editor). *A Practice of Anaesthesia* (5th Edn), (*R*) 941
CLARK, M. M. *see* CARLI, F., (*ARS*) 820P
CLARKE, R. S. J., GIBSON, F. M., MIRAKHUR, R. K. and LAVERY, G. G. Effect of "priming" on intubating conditions after vecuronium. A pilot study, (*ARS*) 827P
CLARKE, R. S. J. and MIRAKHUR, R. K. Intubating conditions with vecuronium, (*C*) 932
CLARKE, R. S. J. *see* GIBSON, F. M. 1060; LAVERY, G. G., (*ARS*) 344P
COATES, D. P., SPELINA, K. R., PRYS-ROBERTS, C., MONK, C. R. and NORLEY, I. Dose requirements in premedicated patients for propofol by continuous i.v. infusion, (*ARS*) 821P
COCHRANE, D. F. *see* WILLATTS, S. M. 1026
COCKSHOTT, I. D., BRIGGS, L. P. and DOUGLAS, E. J. Pharmacokinetics of propofol in female patients, (*ARS*) 822P
COLCHEN, A. *see* VOURC'H, G. 451
COLD, G. *see* BENDTSEN, A. 369
COLE, G. *see* LI, D. F. 424
COLE, P. V. Electrical activity during induced hypotension, (*C*) 1267; *see* BINGHAM, R. M., (*ARS*) 342P; SWEENEY, B., (*ARS*) 827P; THOMAS, W. A., (*ARS*) 337P; THOMAS, W. A. 134; VESEY, C. J. 148
COLLIER, P. S. *see* CARLISLE, R. J. T., (*ARS*) 834P; HARPER, K. W. 866
COLLIN, J. *see* MCQUAY, H. J. 412
COLLINS, K. M., PLANTEVIN, O. M., WHITBURN, R. H. and DOYLE, J. P. Outpatient termination of pregnancy: halothane or alfentanil-supplemented anaesthesia 1226
COLVIN, M. P. *see* DUNNILL, R. P. H., (*R*) 938
CONACHER, I. D., PAES, M. L. and MORRITT, G. N. Anaesthesia for carbon dioxide laser surgery on the trachea 448
CONFINO, E., ISMAJOVICH, B., RUDICK, V. and DAVID, M. P. Extradural analgesia in the management of singleton breech delivery 892
CONWAY, C. M. Anaesthetic breathing systems 649; *see* SMITH, G., (*E*) 639
COOPER, G. M. *see* MCATEER, P. M., (*ARS*) 826P
COPLANS, M. P. and GREEN, R. A., (editors). *Anaesthesia and Sedation in Dentisty. Monographs in Anaesthesiology*, (*R*) 458
CORBEY, M. P. *see* QUAYNOR, H. 538, 573
CORKE, C. F. and JACKSON, I. J. "Esophageal gastric tube airway"–a potential hazard, (*C*) 930
COSMI, E. V. and SCARPELLI, E. M., (editors). *Pulmonary Surfactant System*, (*R*) 453
COSSHAM, P. S. Difficult intubation, (*C*) 239
COUSINS, M. J. *see* SEOW, L. T. 747
COVINO, B. G. *see* SMITH, G., (*R*) 1140; WILDSMITH, J. A. W. 612
COX, D. J. A. and NIBLETT, D. J. Modification of the Servo 900B CPAP/IMV system, (*C*) 836
CRAWFORD, J. S., LEWIS, M. and DAVIES, P. Maternal and neonatal responses related to the volatile agent used to maintain anaesthesia at Caesarean section 482
CRAWFORD, M. F., CARL, P. and RAVLO, O. Fixation of extradural catheters, (*C*) 1043
CRAWFORD, M. *see* BACH, V., (*C*) 238
CRUL, J. L. *see* DRIESSEN, J. J. 1089; EGMOND, J. VAN 434
DE LA CRUZ-ODL, M. F. *see* GOMEY, Q. J., (*R*) 941
CUMMINGS, G. C. and SPENCE, A. A. Comparison of propofol in emulsion with Althesin for induction of anaesthesia, (*C*) 234
CUNNINGHAM, A. J. Ventricular arrhythmias and adrenaline infiltration during gynaecological surgery, (*C*) 936
CURNOW, J. S. H. *see* GOODMAN, N. W. 311
CURRIE, S. *see* AYLING, J. H. 983

DAGREOU, F. *see* GUGGIARI, M. 142
DALLINGER-STILLER, G. *see* REINHART, K. 294
VON DARDEL, O. *see* EVERS, H. 997
DASH, H. H. and GODE, G. R. Management of blunt trauma to the cervical portion of the trachea, (*C*) 236
DAVENPORT, H. T., NUNN, J. F. and WRIGHT, B. M. Air break receiver units, (*C*) 354
DAVID, M. P. *see* CONFINO, E. 892
DAVIES, L. F. *see* SIMPSON, K. H., (*ARS*) 821P
DAVIES, P. *see* CRAWFORD, J. S. 482
DAVIES, W. H. *see* EVANS, J. M., (*ARS*) 340P
DAVIS, H. S. *see* BENNETT, H. L. 174
DAWLING, S. *see* BOSCOE, M. J., (*ARS*) 834P
DEARDEN, N. M. and MCDOWALL, D. G. Comparison of etomidate and Althesin in the reduction of increased intracranial pressure after head injury 361
DELLEUR, M. M. *see* MURAT, I. 569
DENNHARDT, R. *see* REINHART, K. 294
DERBYSHIRE, D. R., BELL, A., PARRY, P. A. and SMITH, G. Morphine sulphate slow release. Comparison with i.m. morphine for postoperative analgesia 858
DERBYSHIRE, D. R. *see* FELL, D. 770; PINNOCK, C., (*ARS*) 346P; VICKERS, A., (*ARS*) 820P
DICKSON, G. R. *see* WILKINSON, D. J. 1077
DINGWALL, A. E. *see* MEAKIN, G., (*ARS*) 832P
DODSON, M. E. Short acting neuromuscular blockers and ECT, (*C*) 933
DONATI, F. *see* BEVAN, J. C. 1204
DOPSON, T. *see* BOHEIMER, N., (*ARS*) 345P
DORLAS, J. C. and NIJBOER, J. A. Photo-electric plethysmography as a monitoring device in anaesthesia. Application and interpretation 524
DORLAS, J. C. *see* NIJBOER, J. A. 531
DOUGLAS, E. J. *see* COCKSHOTT, I. D., (*ARS*) 822P
DOWNING, J. W. *see* BROCK-UTNE, J. G., (*C*) 837; TURNER, D. R. 1260
DOYLE, J. P. *see* COLLINS, K. M. 1226
DOZIER, S. E. *see* ILIAS, W. K. 994
DRAKE, H. F. *see* WILKINSON, D. J. 1077
DRIESSEN, J. J., VREE, T. B., VAN EGMOND, J., BOOIJ, L. H. D. L. and CRUL, J. L. Interaction of midazolam with two non-depolarizing neuromuscular blocking drugs in the rat *in vivo* sciatic nerve–tibialis anterior muscle preparation 1089
DRUMMOND, G. B. *see* LOGAN, M. R., (*ARS*) 348P
DUBNER, R. *see* YOKOTA, T., (*R*) 940
DUBOIS, C. *see* FISCHLER, M. 493, 877
DUCHENE-MARULLAZ, P. *see* KANTELIP, J. P. 214
DUNDEE, J. W. and MCMURRAY, T. J. Infusion rates for i.v. anaesthesia, (*C*) 234

DUNDEE, J. W. *see* BALI, I. M., (*ARS*) 830P; CARLISLE, R. J. T., (*ARS*) 834P; CHESTNUTT, W. N., (*ARS*) 351P, 825P; HALLIDAY, N. J., (*ARS*) 351P; HARPER, K. W. 866; LOWRY, K. G. 883; ROBINSON, F. P., (*ARS*) 349P
DUNNILL, R. P. H. and COLVIN, M. P. *Clinical and Resuscitative Data* (3rd Edn) (*R*) 938
DURANT, P. A. C. Bronchospasm and hypotension following cardiopulmonary bypass, (*C*) 721
DUTHIE, D. J. R. and FRASER, R. Etomidate and adrenocortical synthesis in man, (*C*) 1266
DUTHIE, D. J. R., FRASER, R. and NIMMO, W. S. Effect of induction of anaesthesia with etomidate on corticosteroid synthesis in man 156
DUTTON, D. A., MOIR, D. D., HOWIE, H. B. and THORBURN, J. Choice of local anaesthetic drug for extradural Caesarean section, (*C*) 931
DYE, A. *see* SELLERS, W. F. S., (*ARS*) 341P

EAGER, B. M., HUGHES, R. and FLYNN, P. J. Simple atracurium infusions, (*C*) 542
EARNSHAW, G., HACKETT, G. H. and JANTZEN, J. P. Direct measurement of intra-ocular pressure in dogs during neuromuscular blockade with metocurine, pancuronium, atracurium and vecuronium, (*ARS*) 344P
EGAY, L. M. *see* GOMEY, Q. J., (*R*) 941
EGER, E. I. *see* FASSOULAKI, A. 1110
EGMOND, J. VAN, HASENBOS, M. and CRUL, J. F. Invasive *v.* non-invasive measurement of arterial pressure. *Comparison of two automatic methods and simultaneously measured direct intra-arterial pressure* 434
VAN EGMOND, J. *see* DRIESSEN, J. J. 1089
EIMERL, D. *see* MCPHERSON, R. W. 1232
ELLIOTT, M. *see* MCKNIGHT, C. K. 595
ELLIOTT, P. *see* HARPER, K. W. 866
ELLIS, F. R. and HALSALL, P. J. Suxamethonium spasm, (*C*) 354
ELLIS, F. R. *see* AYLING, J. H. 983
ELLIS, R. *see* FELL, D. 770
ERDMANN, W. *see* FAITHFULL, N. S., (*ARS*) 816P
ETHERINGTON, N. J. *see* THOMAS, W. A. 134; THOMAS, W. A., (*ARS*) 337P
EUROPEAN MH GROUP. Laboratory diagnosis of malignant hyperpyrexia susceptibility (MHS), (*C*) 1038
EVANS, J. M., DAVIES, W. L. and WISE, C. C. Effect of Althesin upon spontaneous lower oesophageal contractility (SLOC) in man, (*ARS*) 340P
EVANS, J. M. Lower oesophageal contractility (LOC) during halothane anaesthesia, (*ARS*) 815P
EVANS, M. *see* MELDRUM, B. 44
EVANS, P. J. D. *see* MCQUAY, H. J. 412
EVANS, S. F., STRINGER, M., BUKHT, M. D. G., THOMAS, W. A. and TOMLIN, S. J. Nitrous oxide inhalation does not influence plasma concentrations of β-endorphin or met-enkaphalin-like immunoreactivity 624
EVERS, H., VON DARDEL, O., JUHLIN, L., OHLSÉN, L. and VINNARS, E. Dermal effects of compositions based on the eutectic mixture of lignocaine and prilocaine (EMLA). *Studies in volunteers* 997
EYRICH, K. *see* REINHART, K. 294

FAGAN, D. *see* SCOTT, D. B. (*ARS*) 339P; SINCLAIR, C. J. 587
FAHEY, M. R., RUPP, S. M., FISHER, D. M., MILLER, R. D., SHARMA, M., CASTAGNOLI, K. and HENNIS, P. J. Effect of renal failure on laudanosine excretion in man 1049
FAITHFULL, N. S. Injury to terminal branches of the trigeminal nerve following tracheal intubation 535
FAITHFULL, N. S., ERDMANN, W. and FENNEMA, M. Oxygen tensions in the ischaemic myocardium following haemodilution with fluorocarbons or dextran, (*ARS*) 816P
FASSOULAKI, A. Etomidate and adrenocortical synthesis in man, (*C*) 1264
FASSOULAKI, A. and EGER, E. I. Piracetam does not change the anaesthetic requirement for halothane 1110
FEELEY, T. W., MINTY, B. D., SCUDDER, C. M., JONES, J. G. and TENG, N. N. H. Effect of human monoclonal IgM antibodies on endotoxin-induced lung injury in the rat, (*ARS*) 826P
FELDT-RASMUSSEN, B. F., GEFKE, K., MOSBECH, H. and HANEL, H. K. Effect of a mixture of pyridostigmine and atropine on forced expiratory volume (FEV_1), and serum cholinesterase activity in normal subjects 204
FELL, D., DERBYSHIRE, D. R., MAILE, C. J. D., LARSSON, I.-M., ELLIS, R., ACHOLA, K. J. and SMITH, G. Measurement of plasma catecholamine concentrations. *An Assessment of Anxiety* 770
FENNEMA, M. *see* FAITHFULL, N. S., (*ARS*) 816P
FINNEGAN, B. A. and JYN, C. A. Paracetamol kinetics and gastric emptying, (*C*) 1039
FISCHLER, M., DUBOIS, C., BRODATY, D., SCHLUMBERGER, S., MELCHIOR, J. C., GUILMET, D. and VOURC'H, G. Circulatory responses to thiopentone and tracheal intubation in patients with coronary artery disease 493
FISCHLER, M., LEVRON, J. C., TRANG, H., BROADATY, D., DUBOIS, C., GUILMET, D. and VOURC'H, G. Pharmacokinetics of phenoperidine in patients undergoing general surgery 877
FISCHLER, M., LEVRON, J. C., TRANG, H., VAXELAIRE, J. F., FLAISLER, B. and VOURC'H, G. Pharmacokinetics of phenoperidine in anaesthetized patients undergoing general surgery 872
FISCHLER, M., SEIGNEUR, F., BOURRELI, B., MELCHIOR, J. C., LAVAUD, C. and VOURC'H, G. Jet ventilation using low or high frequencies, during bronchoscopy 382
FISHER, D. M. *see* FAHEY, M. R. 1049
FISHER, M. M. *see* HARLE, D. G. 1073
FLAISLER, B. *see* FISCHLER, M. 872
FLETCHER, R. Deadspace, invasive and non-invasive, (*E*) 245; Gas exchange during anaesthesia in children with abnormal pulmonary circulation, (*ARS*) 817P; *see* RANKLEV, E. 991
FLYNN, P. J., WALTON, B. and HUGHES, R. pH and atracurium, (*C*) 545
FLYNN, P. J. *see* EAGER, B. M., (*C*) 542; SEBEL, P. S., (*ARS*) 340P
FOËX, P. *see* KERR, J. H. 1150; RAMSAY, J. G., (*ARS*) 817P; VIDECOQ, M., (*ARS*) 825P
FOGDALL, R. P. *see* REAM, A. K., (*R*) 454
FOSTER, J. M. G. *see* CASHMAN, J. N. 255; JONES, R. M. 259
FRANCIS, R. I. *see* SALT, P. J., (*ARS*) 820P
FRANK, M. *see* LALOR, J. M., (*ARS*) 833P
FRASER, R. *see* DUTHIE, D. J. R. 156; (*C*) 1266; KENYON, C. J. 509
FREI, F. J. *see* ZBINDEN, A. M. 796
FRIEDRICH, G., CHRUBASIK, J., SCHOLLER, K. L., WEIGEL, K. and RUPP, H.-P. CSF pharmacokinetics of extradural morphine, (*C*) 936
FULFER, R. T. *see* ILIAS, W. K. 994
FUNK, B. *see* ZBINDEN, A. M. 796
FURUYA, H. *see* YAMASHIRO, M. 1029

GABRIELCZYK, M. *see* CARLI, F., (*ARS*) 820P
GALBRAITH, S. *see* JENNETT, B., (*R*) 457
GALLAGHER, E. G. *see* MAGEE, D. A., (*C*) 1044
GALLAGHER, T. M. and BLACK, G. W. Transcutaneous electrodes during anaesthesia, (*ARS*) 337P
GALLAIS, S. *see* GUGGIARI, M. 142
GALLOWAY, D. J. *see* ALGIE, T. A. 621
GARDINER, J. *see* MURPHY, D. F., (*C*) 1039
GARGARIAN, M. *see* SCOTT, R. P. F. 550

GAUDY, J. H. Hypoxic ventilatory drive in the dog under Althesin anaesthesia, (*C*) 356
GEFKE, K. *see* FELDT-RASMUSSEN, B. F. 204
GERSON, G., (editor) *Intensive Care*, (*R*) 1140
GIANNINI, J. A. *see* BENNETT, H. L. 174
GIBSON, F. M., MIRAKHUR, R. K., CLARKE, R. S. J. and LAVERY, G. G. Comparison of cumulative and single bolus dose techniques for determining the potency of vecuronium 1060
GIBSON, F. M. *see* CLARKE, R. S. J., (*ARS*) 827P; LAVERY, G. G., (*ARS*) 344P
GIONFRIDDO, M. *see* SCOTT, R. P. F. 550
GISSEN, A. J. *see* WILDSMITH, J. A. W. 612
GISVOLD, S. E. and STEEN, P. A. Drug therapy in brain ischaemia 96
GLEN, J. B. and HUNTER, S. C. Pharmacology of an emulsion formulation of ICI 35868, (*C*) 836
GODE, G. R. *see* DASH, H. H., (*C*) 236
GOLDBERG, M. *see* SOSIS, M., (*C*) 1038
GOMEY, Q. J., EGAY, L. M. and DE LA CRUZ-ODI, M. F. (editors) *Anaesthesia: Safety for All*, (*R*) 941
GONCALVES, F. and ANDRADE, P. Blind nasotracheal intubation guided by an image intensifier, (*C*) 240
GOODMAN, N. W. and BLACK, A. M. S. Analyses of the ventilatory response to carbon dioxide. *Implications for clinical research* 319
GOODMAN, N. W. and CURNOW, J. S. H. The ventilatory response to carbon dioxide. *An analysis of data obtained by the rebreathing method* 311
GOUDER, A. *see* GREGOIRE, Y., (*C*) 356
GOUDSOUZIAN, N. and KARAMANIAN, A. *Physiology for the Anesthesiologist* (2nd Edn), (*R*) 939
GRAHAM, D. I. The pathology of brain ischaemia and possibilities for therapeutic invention 3
GRAMSTAD, L. and LILLEAASEN, P. Neuromuscular blocking effects of atracurium, vecuronium and pancuronium during bolus and infusion administration 1052
GRANT, I. S. *see* MACKENZIE, N. 725; 1167
GRAVENSTEIN, J. S., NEWBOWER, R. S., REAM, A. K. and TY SMITH, N., (editors). *An Integrated Approach to Monitoring*, (*R*) 243
GRAY, I. *see* MACKENZIE, P. J. 853
GRAY, W. M. Scavenging equipment 685; *see* ALGIE, T. A. 621
GREEN, R. A. *see* COPLANS, M. P., (*R*) 458
GREENAN, J. and PRASAD, J. Comparison of the ocular effects of atropine or glycopyrrolate with two i.v. induction agents 180
GREENBAUM, R. National and international standards for anaesthetic equipment 709
GREFKE, K. *see* FELDT-RASMUSSEN, B. F. 204
GREGOIRE, Y., GOUDER, A. and RAVEZ, P. Tactile orotracheal intubation, (*C*) 356
GREGORY, G. A., (editor). *Pediatric Anesthesia, Vols I and II*, (*R*) 455
GREGUS, J. *see* WILDSMITH, J. A. W. 612
GRIFFITH, C. D. N. *see* KAMATH, M. B., (*ARS*) 823P
GRIFFITHS, T. *see* MELDRUM, B. 44
DE GROOD, P. M. R. M. *see* RUYS, A. H. C., (*C*) 835
GROUNDS, R. M. *see* JESSOP, E. 1173
GRUNDY, B. L., WEBSTER, M. W., RICHEY, E. T. and KARANJIA, P. N. EEG changes during carotid endarterectomy: drug effect and embolism 445
GUEORGUIEV, G. *see* KANTELIP, J. P. 214
GUGGENBURGER, H. *see* HEUSER, D. 23
GUGGIARI, M., DAGREOU, F., LIENHART, A., GALLAIS, S., MOTTET, P., PHILIPPON, J. and VIARS, P. Use of nitroglycerine to produce controlled decreases in mean arterial pressure to less than 50 mm Hg 142
GUILMET, D. *see* FISCHLER, M. 493; 877
HACKER, D. C. *see* KIM, J.-M. 913
HACKETT, G. H. *see* EARNSHAW, G., (*ARS*) 344P
HAIL, L. W., KELLAGHER, R. E. B. and WATKINS, S. B. Respiratory problems after atropine and neostigmine in dogs, (*C*) 1046
HÅKANSON, E., RUTBERG, H., JORFELDT, L. and MÅRTENSSON, J. Effects of the extradural administration of morphine or bupivacaine, on the metabolic response to upper abdominal surgery 394
HALABURT, A. *see* HUSUM, B. 1100
HALL, L. W. Hypoxic ventilatory drive in the dog under Althesin anaesthesia, (*C*) 356
HALLÉN, B., CARLSSON, P. and UPPFELDT, A. Clinical study of a lignocaine–prilocaine cream to relieve the pain of venepuncture 326
HALLGREN, S. *see* AXELSSON, K. H. 960
HALLIDAY, N. J., DUNDEE, J. W. and HARPER, K. W. Influence of fentanyl and alfentanil pretreatment on the action of midazolam, (*ARS*) 351P
HALLIDAY, N. J. *see* HARPER, K. W. 866; ROBINSON, F. P., (*ARS*) 349P
HALSALL, P. J. *see* AYLING, J. H. 983; ELLIS, F. R., (*C*) 354
HALSEY, M. J. *see* WARDLEY-SMITH, B. 1248
HAMMOND, J. E. *see* SIMPSON, D. A. 753
HANEL, H. K. *see* FELDT-RASMUSSEN, B. F. 204
HANNING, C. D. "He looks a little blue down this end." Monitoring oxygenation during anaesthesia, (*E*) 359
HANNONEN, P. *see* MATTILA, M. 976
HANSEN, A. *see* JAKOBSEN, H. 300
HANSEN, L. K. *see* OBEL, D. 271
HARDY, P. A. J. Bronchospasm and hypotension following cardiopulmonary bypass, (*C*) 720
HARLE, D. G., BALDO, B. A. and FISHER, M. M. Cross-reactivity of metocurine, atracurium, vecuronium and fazadinium with IgE antibodies from patients unexposed to these drugs but allergic to other myoneural blocking drugs 1073
HARP, J. R. *see* SHUPAK, R. C. 375
HARPER, K. W., COLLIER, P. S., DUNDEE, J. W., ELLIOTT, P., HALLIDAY, N. J. and LOWRY, K. G. Age and nature of operation influence the pharmacokinetics of midazolam 866
HARPER, K. W. *see* CARLISLE, R. J. T., (*ARS*) 834P; HALLIDAY, N. J., (*ARS*) 351P
HARPER, N. J. N. *see* BLACK, T. E., (*ARS*) 344P; PUGH, N. D., (*ARS*) 830P
HARPIN, R. P. Hypoglycaemia in children undergoing outpatient procedures, (*C*) 934
HARRISON, B. *see* YOUNKER, D. 1136
HARRISON, G. G., MOORE, M. R. and MEISSNER, P. N. Porphyrinogencity of etomidate and ketamine as continuous infusions. *Screening in the DDC-primed rat model* 420
HARRISON, G. R., PARKIN, I. G. and SHAH, J. L. Resin injection studies of the lumbar extradural space 333
HARROP-GRIFFITHS, A. W., CHAKRABARTI, M. K. and WHITWAM, J. G. High frequency ventilation and vagal afferent activity, (*ARS*) 819P
HARVEY, J. *see* SELLERS, W. F. S., (*ARS*) 341P
HASENBOS, M. *see* EGMOND, J. VAN 434
HATANGDI, V. S. and BOAS, R. A. Lumbar sympathectomy: a single needle technique 285
HATCH, D. J. Paediatric anaesthetic equipment 672; *see* CHARLTON, A. J. 562; LINDAHL, S. G. E. 1188
HEALY, T. E. J., PUGH, N. D., KAY, B., SIVALINGAM, T. and PETTS, V. Dosage and speed of onset of atracurium and vecuronium, (*ARS*) 829P
HEALY, T. E. J. *see* BLACK, T. E. (*ARS*) 344P; NIGHTINGALE, P. 1131; PUGH, N. D. (*ARS*) 830P
HECKER, J. F. *see* LEWIS, G. B. H. 220
HEGGIE, N. M. *see* JOHNSON, M. K., (*C*) 235

HEINEMEYER, G. *see* REINHART, K. 294
HENEGHAN, C. P. H. and JONES, J. G. Pulmonary gas exchange and diaphragmatic position. *Effect of tonic phrenic stimulation compared with that of increased airway pressure* 1161
HENEGHAN, C. P. H. *see* NAVARATNARAJAH, M., (*ARS*) 352P; SEBEL, P. S., (*E*) 841; THORTON, C. 554
HENNIS, P. J. *see* FAHEY, M. R. 1049
HERTZ, J. B. *see* JAKOBSEN, H. 300
HEUSER, D. and GUGGENBURGER, H. Ionic changes in brain ischaemia and alterations produced by drugs 23
HIGGS, C. M. B. *see* SELLERS, W. F. S., (*ARS*) 831P
HINDS, C. J. *see* BINGHAM, R. M. 843
HJORTSØ, N.-C., CHRISTENSEN, N. J., ANDERSEN, J. and KEHLET, H. Effects of the extradural administration of local anaesthetic agents and morphine on the urinary excretion of cortisol, catecholamines and nitrogen following abdominal surgery 400
HOLDEN, M. P. *see* MCKNIGHT, C. K. 595
HOMI, J. *see* LIN, L. P. S. 1067
HONDA, Y. *see* NISHINO, T. 208
HORAI, Y. *see* WHITE, P. F. 197
HOSKEN, K. A. Medical gas delivery systems, (*C*) 242
HOULDSWORTH, B., O'SULLIVAN, J., SMITH, M. and MUSGRAVE, N. Air break receiver units, (*C*) 355
HOUWERTJES, M. C. *see* BENCINI, A. F. 782; 789
HOWIE, H. B. *see* DUTTON, D. A., (*C*) 931
HUG, C. C. *see* AUSEMS, M. E. 1217
HUGHES, J. M. B. *see* ROYSTON, D., (*ARS*) 814P
HUGHES, R. *see* EAGER, B. M., (*C*) 542; FLYNN, P. J., (*C*) 545
HULL, C. J. Opioid receptor binding and its significance, (*C*) 1269; Receptor binding and its significance, (*E*) 131; *see* REDFERN, N., (*ARS*) 349P; 1178
HUNTER, A. R. Back to clinical impressions, (*E*) 723
HUNTER, J. M., PARKER, C. J. R., BELL, C. F., JONES, R. S. and UTTING, J. E. The use of different doses of vecuronium in patients with liver dysfunction 758
HUNTER, J. M. *see* BELL, C. F. 160
HUNTER, S. C. *see* GLEN, J. B., (*C*) 836
HUSUM, B., VALENTIN, N., WULF, H. C., HALABURT, A. and NIEBUR, E. Sister chromatid exchanges in cigarette smokers: effects of halothane, isoflurane or subarachnoid blockade 1100
HÜTTEL, M. S. *see* OBEL, D. 271
HUTTON, P. *see* BURCHETT, K., (*ARS*) 338P
HUYGHE, L. *see* ROLLY, G. 743

IBSEN, M. *see* ADELHØJ, B. 1107; PETRING, O. U. 1104
ILIAS, W. K., WILLIAMS, C. H., FULFER, R. T. and DOZIER, S. E. Diltiazem inhibits halothane-induced contractions in malignant hyperthermia-susceptibile muscles *in vitro* 994
ILSLEY, A. H. *see* RUNCIMAN, W. B. 1239
INGRAM, D. A. *see* SEBEL, P. S., (*ARS*) 340P; (*E*) 841
ISMAJOVICH, B. *see* CONFINO, E. 892
ITIABA, K. *see* CARLI, F., (*ARS*) 350P

JACKSON, I. J. *see* CORKE, C. F., (*C*) 930
JACKSON, J. F. *see* MCSHANE, A. J., (*ARS*) 343P
JAGO, R. H. and MILLAR, J. M. Airway obstruction—an unusual presentation, (*C*) 541
JAKOBSEN, H., HERTZ, J. B., JOHANSEN, J. R., HANSEN, A. and KØLLIKER, K. Premedication before day surgery. *A double-blind comparison of diazepam and placebo* 300
JANTZEN, J. P. *see* EARNSHAW, G., (*ARS*) 344P
JEAVONS, P. *see* RAMSAY, J. G., (*ARS*) 817P; VIDECOQ, M., (*ARS*) 825P
JENNETT, B. and GALBRAITH, S. *An Introduction to Neurosurgery*, (*R*) 457
JESSOP, E., GROUNDS, R. M., MORGAN, M. and LUMLEY J. Comparison of infusions of propofol and methohexitone to provide light general anaesthesia during surgery with regional blockade 1173
JOHANSEN, J. R. *see* JAKOBBSEN, H. 300
JOHNSON, M. K. and HEGGIE, N. M. Huntington's chorea, a role for the newer anaesthetic agents, (*C*) 235
JOHNSTON, I. H. *see* BAINES, D. B. 896
JOHNSTON, P. *see* PINNOCK, C., (*ARS*) 346P
JONES, J. G. *see* FEELEY, T. W., (*ARS*) 826P; HENEGHAN, C. P. H. 1161; NAVARATNARAJAH, M., (*ARS*) 352P; THORNTON, C. 554
JONES, L. A. *see* RAMSAY, J. G., (*ARS*) 817P; VIDECOQ, M., (*ARS*) 825P
JONES, R. M., CASHMAN, J. N., FOSTER, J. M. G., WEDLEY, J. R. and ADAMS, A. P. Comparison of infusions of morphine and lysine acetyl salicylate for the relief of pain following thoracic surgery 259
JONES, R. M., CASSON, W. R. and LETHBRIDGE, J. R. Influence of dose on onset time of vecuronium-induced neuromuscular blockade, (*ARS*) 838P
JONES, R. M. *see* BROADBENT, M. P. 1018; CASHMAN, J. N. 255; (*ARS*) 338P; 488; CASSON, W. R. 476; PEARCE, A. C. 602
JONES, R. S. Hypoxic ventilatory drive in the dog under Althesin anaesthesia, (*C*) 356; *see* BELL, C. F. 160; HUNTER, J. M. 758
JORFELDT, L. *see* HÅKANSON, E. 394
JUHLIN, L. *see* EVERS, H. 997
JYN, C. A. *see* FINNEGAN, B. A., (*C*) 1039

KAMATH, M. B. and GRIFFITH, C. D. N. Effect of halothane and nitrous oxide on human natural killer lymphocyte activity, (*ARS*) 823P
KANTELIP, J. P., ALATIENNE, M., GUEORGUIEV, G. and DUCHENE-MARULLAZ, P. Chronotropic and dromotropic effects of atropine and hyoscine methobromide in unanaesthetized dogs 214
KARAMANIAN, A. *see* GOUDSOUZIAN, N., (*R*) 939
KARANIJIA, P. N. *see* GRUNDY, B. L. 445
KARHUNEN, U., NILSSON, E. and BRANDER, P. Comparison of four non-depolarizing neuromuscular blocking drugs in the suppression of the oculocardiac reflex during strabismus surgery in children 1209
KAUFMAN, L., (editor). *Anaesthesia Review 2*, (*R*) 243; *see* CHILD, C. S. 389
KAY, B. Relative potency of agonist and partial agonist opioids, (*C*) 719; *see* BLACK, T. E., (*ARS*) 344P; HEALY, T. E. J., (*ARS*) 829P
KAY, N. H., UPPINGTON, J., SEAR, J. W. and ALLEN, M. C. An emulsion formulation of ICI 35868 (propofol) for the induction and maintenance of anaesthesia 736
KEANE, J. F. *see* LAM, A. M. 924
KEHLET, H. *see* HJORTSØ, N.-C. 400; MØLLER, I. W. 591
KELLAGHER, R. E. B. *see* HAIL, L. W., (*C*) 1046
KENNEDY, B. M. Intrathecal morphine and multiple fractured ribs, (*C*) 1266
KENYON, C. J., MCNEIL, L. M. and FRASER, R. Comparison of the effects of etomidate, thiopentone and propofol on cortisol synthesis 509
KERR, J. H. Warning devices 696
KERR, J. H., FOËX, P. and PYBUS, D. A. Relationships between inspired oxygen concentration and venous admixture during nitrous oxide–oxygen–halothane anaesthesia 1150
KERSTEN, U. W. *see* BENCINI, A. F. 782
KET, J. M. *see* RASHKOVSKY, O. M. 1063
KIM, J.-M., MANGOLD, J. V. and HACKER, D. C. Laboratory evaluation of low-pressure tracheal tube cuffs: large-volume *v.* low-volume 913
KINSELLA, S. M. Assessment of the Hewlett–Packard HP47210A capnometer 919
KIRKWOOD, I. An unusual case of sinus arrest, (*C*) 238
KLATZO, I. Brain oedema following brain ischaemia and the influence of therapy 18

KOHCHI, T. *see* NISHINO, T. 208
KOHT, A. *see* SLOAN, T. B. 849
KØLLIKER, K. *see* JAKOBSEN, H. 300
KORINEK, A. M., LANGUILLE, M., BONNET, F., THIBONNIER, M., SASANO, P., LIENHART, A. and VIARS, P. Effects of postoperative extradural morphine on ADH secretion 407
KORTTILA, K. and TARKKANEN, J. Comparison of diazepam and midazolam for sedation during local anaesthesia for bronchoscopy 581
KRANTZ, T. *see* MØLLER, I. W. 591
KREMPASANKA, E. *see* MCPHERSON, R. W. 1232
KRUGER, L. and LIEBESKIND, J. C., (editors). *Neural Mechanisms of Pain. Advances in Pain Research and Therapy: Vol. 6*, (*R*) 453
KRUSE, A. *see* BENDTSEN, A., 369
KRUSE, L. *see* BACH, V., (C) 238
KUNDOMAL, Y. R. and BADEN, J. M. Inhaled anaesthetics have no effect on fertility in *Drosophila melanogaster* 900
KUNKEL, H. *see* PILCHMAYR, I., (*R*) 940
KURER, F., Gynaecological laparoscopy, (*C*) 718; safe anaesthetic for laparoscopy with spontaneous respiration, (*C*) 1041

LAI, K. M. *see* SALEM, M. G. 184
LALOR, J. M., VERGHESE, C., WALDMANN, C. S., FRANK, M., MAYNARD, D. E. and LOWE, J. R. Changes in the Cerebral Function Analysing Monitor output compared with changing plasma concentrations of midazolam, (*ARS*) 833P
LAM, A. M., KEANE, J. F. and MANNINEN, P. H. Monitoring of brainstem auditory evoked potentials during basilar artery occlusion in man 924
LAMB, C. J. *see* MILLAR, S. W., (*C*) 1043
LAMBERT, A., MITCHELL, R. and ROBERTSON, W. R. Effect of propofol, thiopentone and etomidate on adrenal steroidogenesis *in vitro* 505
LAMBERTY, J. M. Gynaecological laparoscopy, (*C*) 718
LAMPLUGH, G. *see* SALEM, M. G. 184
LANGUILLE, M. *see* KORINEK, A. M. 407
LAPPALAINEN, S. *see* MATTILA, M. 976
LARSSON, I.-M. *see* FELL, D. 770
DE LATORRE, F. J. Modification of the Servo 900B CPAP/IMV system, (*C*) 836
LATTA, W. B. *see* RUFFLE, J. M. 607
LAVAUD, C. *see* FISCHLER, M. 382
LAVERY, G. G., BOYLE, M. M. and MIRAKHUR, R. K. Probable histamine liberation with atracurium. *A Case Report* 811
LAVERY, G. G., GIBSON, F. M., MIRAKHUR, R. K. and CLARKE, R. S. J. Single bolus dose *v.* cumulative dose techniques for determining potency of atracurium, (*ARS*) 344P
LAVERY, G. G. *see* CLARKE, R. S. J, (*ARS*) 827P; GIBSON, F. M. 1060
LE GALL, R. *see* VOURC'H, G. 451
LESTER, J. *see* WRIGHT, D. J., (*ARS*) 347P
LETHBRIDGE, J. R. *see* JONES, R. M., (*ARS*) 828P
LEVRON, J. C. *see* CHAUVIN, M. 886; FISCHLER, M. 872, 877
LEVY, J. *see* WILKES, E., (*R*) 938
LEWIS, G. B. H. and HECKER, J. F. Infusion thrombophlebitis 220
LEWIS, M. *see* CRAWFORD, J. S. 482
LI, D. F., BAHAR, M., COLE, G. and ROSEN, M. Neurological toxicity of the subarachnoid infusion of bupivacaine, lignocaine or 2-chloroprocaine in rat 424
LI, D. F., BAHAR, M. and ROSEN, M. Effects of spinal blockade with bupivacaine on parturition in rats 515
LI, D. F., REES, G. A. D. and ROSEN, M. Continuous extradural infusion of 0.0625% or 0.125% bupivacaine for pain relief in primigravid labour 264
LIBAN, J. B. *see* MILLAR, S. W., (*C*) 1043
LIEBESKIND, J. C. *see* KRUGER, L., (*R*) 453
LIENHART, A. *see* GUGGIARI, M. 142; KORINEK, A. M. 407
LILLEAASEN, P. *see* GRAMSTAD, L. 1052
LIN, L. P. S. and HOMI, J. A comparison of atracurium and alcuronium during halothane anaesthesia by measurement of the train-of-four response of the adductor pollicis muscle and clinical observation 1067
LINDAHL, S. G. E., CHARLTON, A. J. and HATCH, D. J. Ventilatory responses to rebreathing and carbon dioxide inhalation during anaesthesia in children 1188
LINDAHL, S. G. E. *see* CHARLTON, A. J. 562
LINDGREN, L. and SAARNIVAARA, L. Cardiovascular responses to tracheal intubation in small children. *Effects of the induction of anaesthesia with halothane* 1183
LINKENS, D. A. and ASBURY, A. J. Non-invasive measurement of vecuronium pharmacokinetics and pharmacodynamics using systems identification techniques, (*ARS*) 829P
LIPS, U. *see* PILCHMAYR, I., (*R*) 940
LITARCZEK, G. Opioid receptor binding and its significance, (*C*) 1269
LITTLE, H. J. *see* WARDLEY-SMITH, B. 629
LLOYD, J. W. *see* MCQUAY, H. J. 412
LOGAN, M. R., ALLAN, P. L. and DRUMMOND, G. B. Movement of the diaphragm on induction of anaesthesia, (*ARS*) 348P
LONG, T. *see* SHANKS, A. B. 807
LOGAN, M. R., DRUMMOND, G. B., NEWTON, I. and BROWN, D. T. Body shape changes on induction of anaesthesia, (*ARS*) 348P
LOWE, J. R. *see* LALOR, J. M., (*ARS*) 833P
LOWRY, K. G., DUNDEE, J. W., MCCLEAN, E., LYONS, S. M., CARSON, I. W. and ORR, I. A. Pharmacokinetics of diazepam and midazolam when used for sedation following cardiopulmonary bypass 883
LOWRY, K. G. *see* HARPER, K. W. 866
LÜLLMANN, H., MARTINS, B.-S. and PETERS, T. pH-Dependent accumulation of fentanyl, lofentanil and alfentanil by beating guineapig atria 1012
LUMLEY, J. *see* JESSOP, E. 1173
LUNN, J. N. *see* VICKERS, M. D., (*R*) 939
LYONS, S. M. *see* LOWRY, K. G. 883

MCARDLE, C. S. *see* POLLOK, A. J. P., (*ARS*) 824P
MCATEER, P. M., CARTER, J. A., COOPER, G. M. and PRYS-ROBERTS, C. Isoflurane in paediatric outpatient dental anaesthesia. A comparison with halothane, (*ARS*) 826P
MCCAFFERY, M. *Nursing the Patient in Pain*, (*R*) 458
MCCLEAN, E. *see* LOWRY, K. G. 883
MCCLURE, J. H. and SCOTT, D. B. Choice of local anaesthetic drug for extradural Caesarean section, (*C*) 931
MCCOLLUM, P. T., SPENCE, V. A., MACRAE, B. and WALKER, W. F. Quantitative assessment of the effectiveness of chemical lumbar sympathectomy 1146
MACDONALD, D. J. F. Anaesthesia for microvascular surgery. *A physiological approach* 904
MCDOWALL, D. G. Brain ischaemia—its prevention and treatment, (*E*) 1; Induced hypotension and brain ischaemia 110; *see* DEARDEN, N. M. 361
MCFARLANE, H. Changes in thoraco-abdominal volume during induction of anaesthesia, (*ARS*) 818P
MACGEE, K. *see* MURAT, I. 569
MCGUINNESS, K. *see* NIGHTINGALE, P. 1131
MCGUIRE, R. *see* ANDERSON, S. 169
MACKENZIE, N. and GRANT, I. S. Comparison of propofol with methohexitone in the provision of anaesthesia for surgery under regional blockade 1167; Comparison of the new emulsion formulation of propofol with methohexitone and thiopentone for inducing anaesthesia in days cases 725
MCKENZIE, P. J., WISHART, H. Y., GRAY, I. and SMITH, G. Effects of an anaesthetic technique on deep vein

thrombosis. *A comparison of subarachnoid and general anaesthesia* 853
McKeown, D. *see* Anderson, S. 169
McKnight, C. K., Elliott, M., Pearson, D. T., Alberti, K. G. M. M. and Holden, M. P. Continuous monitoring of blood glucose concentration during open heart surgery 595
McLeod, B. J., Walmsley, A. J. and Ponte, J. Propofol for induction of cardiac anaesthesia. A pilot study, (*ARS*) 822P
McMurray, T. J. *see* Dundee, J. W., (*C*) 234
Macnab, M. S. P., Milne, M. K. and Allison, R. H. Oral ranitidine in labour, (*C*) 1040
McNeil, L. M. *see* Kenyon, C. J. 509
McPherson, R. W., Krempasanka, E., Eimerl, D. and Traystman, R. J. Effects of alfentanil on cerebral vascular reactivity in dogs 1232
McQuay, H. J., Bullingham, R. E. S., Moore, R. A., Carroll, D., Evans, P. J. D., O'Sullivan, G., Collin, J. and Lloyd, J. W. Zomepirac, dihydrocodeine and placebo compared in postoperative pain after day-case surgery. *The relationship between the effects of single and multiple doses* 412
Macrae, B. *see* McCollum, P. T. 1146
McShane, A. J. and Blunnie, W. P. Sustained release oral morphine in cardiac surgery, (*ARS*) 347P
McShane, A. J., Jackson, J. F., Murphy, D. F., Moriarty, D. C. and Otridge, B. W. Quality of blood prepared with a cell saver, (*ARS*) 343P
Madden, A. P., Radford, S. G. and Black, A. M. S. Cutaneous reaction to atracurium, (*C*) 541
Madden, A. P. *see* Burchett, K., (*ARS*) 338P
Madler, C. *see* Ackern, K. van 497
Madsen, J. B. *see* Bendtsen, A. 369
Madsen, M. R. *see* Pedersen, J., (*C*) 935
Magee, D. A. and Gallagher, E. G. Side effects induced by suxamethonium on the skeletal muscle and their prevention, (*C*) 1044
Maile, C. J. D. *see* Fell, D. 770
Mangold, J. V. *see* Kim, J.-M. 913
Mankowitz, E. *see* Brock-Utne, J. G., (*C*) 837
Manninen, P. H. *see* Lam, A. M. 924
Mantegazza, P. *see* Panerai, A. E. 954
Marshall, R. J. *see* Anderson, K. A. 775
Marstrand, T., Sørensen, M. and Andersen, S. Spinal anaesthesia with 0.75% bupivacaine and 0.5% amethocaine in 5% glucose 971
Mårtensson, J. *see* Håkanson, E. 394
Martins, B.-S. *see* Lüllmann, H. 1012
Massei, R. *see* Panerai, A. E. 954
Mather, L. E. *see* Runciman, W. B. 1239; Seow, L. T. 747
Mattila, M., Hannonen, P., Puttonen, E. and Lappalainen, S. Dihydroergotamine in the prevention of hypotension associated with extradural anaesthesia 976
Maynard, D. E. *see* Lalor, J. M., (*ARS*) 833P
Mazze, R. I., (editor). *Inhalation Anaesthesiology. Clinics in Anaesthesiology*, (*R*) 939
Meadows, G. A. *see* Salem, M. G. 184
Meakin, G., Dingwall, A. E. and Addison, G. M. Effects of preoperative feeding on gastric pH and volume in children, (*ARS*) 832P
Meissner, P. N. *see* Harrison, G. G. 420
Melchior, J. C. *see* Fischler, M. 382; 493
Meldrum, B., Evans, M., Griffiths, T. and Simon, R. Ischaemic brain damage: the role of excitatory activity and of calcium entry 44
Migliori, P. *see* Rucci, F. S. 275
Millar, J. M. *see* Jago, R. H., (*C*) 541
Millar, S. W., Lamb, C. J. and Liban, J. B. Antagonism of neuromuscular blockade, (*C*) 1043
Miller, J. D. Head injury and brain ischaemia—implications for therapy 120
Miller, R. D., (editor). *Year Book of Anaesthesia (1984)*, (*R*) 1047 *see* Fahey, M. R. 1049
Milnes, M. K. *see* Macnab, M. S. P., (*C*) 1040
Milstein, P. A. *see* Boscoe, M. J., (*ARS*) 350P
Minty, B. D. *see* Feeley, T. W., (*ARS*) 826P
Mirakhur, R. K. Antagonism of the muscarinic effects of edrophonium with atropine of glycopyrrolate. *A comparative study* 1213; *see* Clarke, R. S. J., (*ARS*) 827P; 932; Gibson, F. M. 1060; Lavery, G. G., (*ARS*) 344P; 811
Mitchell, R. *see* Lambert, A. 505
Mittman, U. *see* Ackern, K. van 497
Modla, C. Y. *see* Strahan, S. K. 1095
Moir, D. D. *see* Dutton, D. A., (*C*) 931; Thorburn, J., (*C*) 240
Møller, I. W., Krantz, T., Wandall, E. and Kehlet, H. Effect of alfentanil anaesthesia on the adrenocortical and hyperglycaemic response to abdominal surgery 591
Monk, C. R. *see* Coates, D. P., (*ARS*) 821P
Montenegro, H. D., (editor). *Chronic Obstructive Pulmonary Disease*, (*R*) 1141
Monti, M. *see* Ranklev, E. 991
Monza, G. *see* Panerai, A. E. 954
Moon, R. Anaesthesia for fractured hip, (*C*) 541
Moore, D. C. Intercostal blockade, (*C*) 543
Moore, M. R. *see* Harrison, G. G. 420
Moore, R. A. *see* McQuay, H. J. 412
Morgan, M. *see* Jessop, E. 1173
Moriarty, D. C. *see* McShane, A. J., (*ARS*) 343P
Morran, C. G. *see* Pollok, A. J. P., (*ARS*) 824P
Morris, L. E., Reedy, M. E. and Stone, C. K. Changes in plasma beta-endorphin with various anaesthetics, (*ARS*) 343P
Morritt, G. N. *see* Conacher, I. D. 448
Mortimer, A. J., Bourgain, J.-L. and Sykes, M. K. Deadspace and carbon dioxide clearance from a lung model during high-frequency jet ventilation, (*ARS*) 819P
Morton, N. *see* Pollok, A. J. P., (*ARS*) 824P
Mosbech, H. *see* Feldt-Rasmussen, B. F. 204
Mottet, P. *see* Guggiari, M. 142
Mungroop, H. *see* Rolly, G. 743
Murat, I., Chaussain, M. and Saint-Maurice, C. Ventilatory responses to carbon dioxide in children during nitrous oxide–halothane anaesthesia 1197
Murat, I., Delleur, M. M., MacGee, K. and Saint-Maurice, C. Changes in ventilatory patterns during halothane anaesthesia in children 569
Murphy, D. F. Intercostal blockade, (*C*) 544
Murphy, D. F. and Gardiner, J. Paracetamol kinetics and gastric emptying, (*C*) 1039
Murray, G. R. *see* Charway, C. L. 949
Musgrave, N. *see* Houldsworth, B., (*C*) 355

Naunton, A. The minimum reservoir capacity necessary to avoid air dilution. *An Experimental Model of Spontaneous Breathing Through a* T-*piece* 803
Navaratnarajah, M., Thornton, C., Heneghan, C. P. H. and Jones, J. G. Effects of isoflurane on the auditory evoked responses in man, (*ARS*) 352P
Navaratnarajah, M. *see* Thornton, C. 554
Newbower, R. S. *see* Gravenstein, J. S., (*R*) 243
Newton, D. E. F. and Bencini, A. Atracurium and vecuronium cause apnoea and loss of knee jerk reflex before neuromuscular block in the hand is complete, (*ARS*) 345P
Newton, D. E. F. *see* Bencini, A. F., (*C*) 932
Newton, I. *see* Logan, M. R., (*ARS*) 348P
Niblett, D. J. *see* Cox, D. J. A., (*C*) 836
Niebuhr, E. *see* Husum, B. 1100
Nielsen, M. S. *see* Summerfield, R. J., (*C*) 1042
Nightingale, P., Healy, T. E. J. and McGuinness, K. Dystrophia myotonica and atracurium. *A case report* 1131

NIJBOER, J. A. and DORLAS, J. C. Comparison of plethysmograms taken from finger and pinna during anaesthesia 531
NIJBOER, J. A. *see* DORLAS, J. C. 524
NIJVELD, A. *see* SCHULLER, J. L. 1257
NILSSON, E. *see* KARHUNEN, U. 1209
NILSSON, K. *see* SONANDER, H. 578
NIMMO, W. S. and TODD, J. G. Fentanyl by constant rate i.v. infusion for postoperative anagesia 250
NIMMO, W. S. *see* DUTHIE, D. J. R. 156
NISHINO, T., HONDA, Y., KOHCHI, T., SHIRAHATA, M. and YONEZAWA, T. Effects of increasing depth of anaesthesia on phrenic nerve and hypoglossal nerve activity during the swallowing reflex in cats 208
NOBEL, J. *see* SALT, P. J., (*ARS*) 820P
NOLOP, K. B. *see* ROYSTON, D., (*ARS*) 814P
NORENG, M. F. Cutaneous reaction to pancuronium, (*C*) 1269
NORLEY, I. *see* COATES, D. P., (*ARS*) 821P
NULAND, S. B. *The Origins of Anaesthesia*. The Classics of Medicine Library, (*R*) 454
NUNN, J. F. Isoflurane as a routine anaesthetic in general surgical practice 461; *see* DAVENPORT, H. T., (*C*) 354
NUNN, J. F., SHARER, N. M., BOTTIGLIERI, T. and ROSSITER, J. Plasma methionine concentrations during elective surgery and nitrous oxide anaesthesia, (*ARS*) 342P

OBEL, D., HANSEN, L. K., HÜTTEL, M. S. and ANDERSEN, P. K. Buprenorphine-supplemented anaesthesia. *Influence of dose on duration of anaesthesia after cholecystectomy* 271
O'CONNOR, S. A. *see* WILKINSON, D. J. 1077
OGDEN, B. *see* SHANKS, A. B., (*ARS*) 832P
OGG, T. W. *see* SALT, P. J., (*ARS*) 820P
OHLSÉN, L. *see* EVERS, H. 997
ORR, I. A. *see* LOWRY, K. G. 883
O'SULLIVAN, J. *see* HOULDSWORTH, B., (*C*) 355
O'SULLIVAN, P. J. D. *see* MCQUAY, H. J. 412
OTRIDGE, B. W. *see* MCSHANE, A. J., (*ARS*) 343P
OVEPTON, J. H. *see* BAINES, D. B. 896

PADFIELD, A. Hypoglycaemia in children undergoing outpatient procedures, (*C*) 934
PAES, M. L. *see* CONACHER, I. D. 448
PALACCI, J. H. *see* AMIOT, J. F., (*C*) 930
PANERAI, A. E., MASSEI, R., DE SILVA, E., SACERDOTE, P., MONZA, G. and MANTEGAZZA, P. Baclofen prolongs the analgesic effect of fentanyl in man 954
PARKER, C. J. R. *see* HUNTER, J. M. 758
PARKIN, I. G. *see* HARRISON, G. R. 333
PARRY, P. A. *see* DERBYSHIRE, D. R. 858
PAYNE, J. P. *see* PITT, G. M., (*ARS*) 831P
PEACE, C. B. *see* BANKS, P. 512
PEARCE, A. C., CASSON, W. R. and JONES, R. M. Factors affecting train-of-four fade 602
PEARSON, D. T. *see* MCKNIGHT, C. K. 595
PEARSON, H. *see* VICKERS, A., (*ARS*) 820P
PEDERSEN, J. and MADSEN, M. R. Metastatic carcinoma in the extradural space, (*C*) 935
PEDERSEN, J. E., CHRAEMMER-JØRGENSEN, B., SCHMIDT, J. F. and RISBO, A. Naloxone—a strong analgesic in combination with high-dose buprenorphine, (*C*) 1045
PERL, A., CHAKRABARTI, M. K. and WHITWAM, J. G. Combined continuous flow and intermittent positive pressure ventilation, (*ARS*) 824P
PERRIN, D. *see* CHAUVIN, M. 886
PETER, K. *see* ACKERN, K. VAN 497
PETERS, T. *see* LÜLLMANN, H. 1012
PETRING, O. U., ADELHØJ, B., IBSEN, M., BRYNNUM, J. and POULSEN, H. E. Abstaining from cigarette smoking has no major effect on gastric emptying in habitual smokers 1104
PETRING, O. U. *see* ADELHØJ, B. 1107
PETTS, V. *see* HEALY, T. E. J., (*ARS*) 829P; PUGH, N. D., (*ARS*) 830P
PFEIFFER, P. M. and BLACK, A. M. S. Train-of-four fade and the speed of onset of alcuronium, (*ARS*) 823P
PHILIPPON, J. *see* GUGGIARI, M. 142
PILCHMAYR, I., LIPS, U. and KUNKEL, H. *The Electrooencephalogram in Anesthesia. Fundamentals, Practical Applications, Examples* (*R*) 940
PINNOCK, C., DERBYSHIRE, D., JOHNSTON, P. and SMITH, G. Effect of sleep deprivation on choice reaction time, (*ARS*) 346P
PINNOCK, C. A. and SMITH, G. Naloxone—paradox or panacea?, (*E*) 547
PITT, G. M. and PAYNE, J. P. Recovery of respiration after neuromuscular block by gallamine, (*ARS*) 831P
PLANTEVIN, O. M. *see* COLLINS, K. M. 1226
PLEUVRY, B. J. *see* SIVALINGHAM, T. 430; STRAHAN, S. K. 1095
PLÖTZ, J. and SCHREIBER, W. Side effects induced by suxamethonium on the skeletal muscle and their prevention, (*C*) 1044
POLLOK, A. J. P., MORRAN, C. G., MORTON, N. and MCARDLE, C. S. Controlled trial of continuous intercostal nerve blockade and i.m. morphine after cholecystectomy, (*ARS*) 824P
PONTE, J. and SIMPSON, D. A. Measurement of extradural blood flows in the rabbit. A preliminary study, (*ARS*) 815P
PONTE, J. *see* MCLEOD, B. J., (*ARS*) 822P
POTTER, D. R. *see* WRIGHT, D. J., (*ARS*) 347P
POULSEN, H. E. *see* ADELHØJ, B. 1107; PETRING, O. U. 1104
PRASAD, J. *see* GREENAN, J. 180
PRINCE, G. D. Management of blunt trauma to the cervical portion of the trachea, (*C*) 236
PRIOR, P. F. EEG monitoring and evoked potentials in brain ischaemia 63; *see* BINGHAM, R. M. 843; THOMAS, W. A. 134; THOMAS, W. A., (*ARS*) 337P
PROCAACCIO, F. *see* BINGHAM, R. M. 843
PRYS-ROBERTS, C. Observations on "functional rhythms" during anaesthesia, (*C*) 356; *see* ANGER, C., (*ARS*) 339P; COATES, D. P., (*ARS*) 821P; MCATEER, P. M., (*ARS*) 826P
PUGH, N. D., HARPER, N. J. N., HEALY, T. E. J. and PETTS, H. V. The effects of atracurium and vecuronium on the depolarization phase of the evoked compound action potential of the addutor pollicis, (*ARS*) 830P
PUGH, N. D. *see* BLACK, T. E., (*ARS*) 344P; HEALY, T. E. J., (*ARS*) 829P
PUTTONEN, E. *see* MATTILA, M. 976
PYBUS, D. A. *see* KERR, J. H. 1150

QUAYNOR, H. and CORBEY, M. P. Extradural blood patch—why delay? 538
QUAYNOR, H., CORBEY, M. and BJÖRKMAN, S. Rectal induction of anaethesia in children with methohexitone. Patient acceptability and clinical pharmacokinetics 573

RADFORD, S. G. *see* MADDEN, A. P., (*C*) 541
RAMSAY, J. G., ARVIEUX, C. C., FOËX, P., RYDER, W. A., JONES, L. A. and JEAVONS, P. Myocardial function when nitrous oxide is added to halothane in the presence of critical coronary artery constriction, (*ARS*) 817P
RAMSAY, J. G. *see* VIECOQ, M., (*ARS*) 825p
RANKLEV, E., MONTI, M. and FLETCHER, R. Microcalorimetric studies in malignant hyperpyrexia susceptible individuals 991
RAO, U., CAMPBELL, I. T., CATLEY, D. M. and SUTHERST, J. R. Postgraduate analgesia with extradural meptazinol: an open dose-finding study, (*ARS*) 814P
RAPER, M. *see* SMITH, R. J., (*ARS*) 352P
RASHKOVSKY, O. M., AGOSTON, S. and KET, J. M. Interaction between pancuronium bromide and vecuronium bromide 1063

RAVEZ, P. *see* GREGOIRE, Y., (*C*) 356
RAVLO, O. *see* BACH, V., (*C*) 238; CRAWFORD, M. E., (*C*) 1043
REAM, A. K. and FOGDALL, R. P. *Acute Cardiovasclar Management: Anaesthesia and Intensive Care*, (*R*) 454
REAM, A. K. *see* GRAVENSTEIN, J. S., (*R*) 243
REDFERN, N., STAFFORD, M. A., BROOKER, J. and HULL, C. J. Incremental propofol for short procedures, (*ARS*) 349P
REDFERN, N., STAFFORD, M. A. and HULL, C. J. Incremental propofol for short procedures 1178
REEDY, M. E. *see* MORRIS, L. E, (*ARS*) 343P
REES, G. A. D. *see* LI, D. F. 264
REINHART, K., DALLINGER-STILLER, G., DENNHARDT, R., HEINEMEYER, G. and EYRICH, K. Comparison of midazolam, diazepam and placebo i.m. as premedication for regional anaesthesia. *A randomized, double-blind study* 294
REYNOLDS, F. *see* WILLATTS, D. G. 1006
RHODIN, A. *see* SELLERS, W. F. S., (*C*) 1268
RICHARDSON, J. C. *see* SALEM, M. G. 184
RICHEY, E. T. *see* GRUNDY, B. L. 445
RISBO, A. *see* PEDERSEN, J. E., (*C*) 1045
RIZZI, R. and VISENTIN, M. *Pain*. (Proceedings of Joint Meeting of the European Chapters of the International Association for the Study of Pain, Abano Terme, May 1983), (*R*) 1142
ROBERTS, N. M. *see* SMITH, R. J., (*ARS*) 352P
ROBERTSON, W. R. *see* LAMBERT, A. 505
ROBINSON, F. P., DUNDEE, J. W. and HALLIDAY, N. J. Effect of age on "induction dose" of propofol, (*ARS*) 349P
RODGERS, R. J. *see* SMITH, R. J., (*ARS*) 352P
ROIZEN, M. F. Electrical activity during induced hypotension, (*C*) 1267
ROLLY, G., VERSICHELEN, L., HUYGHE, L. and MUNGROOP, H. Effect of speed of injection on induction of anaesthesia using propofol 743
ROLLY, G. *see* BILSBACK, P. 943
ROSEN, M. *see* LI, D. F. 264; 424; 515; VICKERS, M. D. (*C*) 720
ROSENBERGER, J. L. *see* RUFFLE, J. M. 607
ROSENORN, J. *see* BENDTSEN, A. 369
ROSSITER, J. *see* NUNN, J. F., (*ARS*) 342P
ROWLANDS, D. E. Simple atracurium infusions, (*C*) 542
ROYSTON, D., BRANDE, S., NOLOP, K. B. and HUGHES, J. M. B. Relationship between indices of alveolar capillary barrier (ACB) solute flux in patients with adult respiratory distress syndrome (ARDS), (*ARS*) 814P
RUBIN, J. *see* BROCK-UTNE, J. G., (*C*) 837
RUCCI, F. S., CARDAMONE, M. and MIGLIORI, P. Fentanyl and bupivacaine mixtures for extradural blockade 275
RUDICK, V. *see* CONFINO, E. 892
RUFFLE, J. M., SNIDER, M. T., ROSENBERGER, J. L. and LATTA, W. B. Rapid induction of halothane anaesthesia in man 607
RUNCIMAN, W. B., MATHER, L. E., ILSLEY, A. H., CARAPETIS, R. J. and UPTON, R. N. A sheep preparation for studying interactions between blood flow and drug disposition. *IV: The effects of general and spinal anaesthesia on blood flow and cefoxitin disposition* 1239
RUPP, H.-P. *see* FRIEDRICH, G., (*C*) 936
RUPP, S. M. *see* FAHEY, M. R. 1049
RUTBERG, H. *see* HÄKNSON, E. 394
RUTHERFORD, C. F, *see* SEBEL, P. S., (*ARS*) 340P
RUYS, A. H. C. and DE GROOD, P. M. R. M. Pharmacology of an emulsion formulation of ICI 35868, (*C*) 835
RYAN COOK, D. *see* STILLER, R. L. 1085
RYDER, W. A. *see* RAMSAY, J. G., (*ARS*) 817P; VIDECOQ, M., (*ARS*) 825P

SAARNIVAARA, L. *see* LINDGREN, L. 1183
SACERDOTE, P. *see* PANERAI, A. E. 954
SAINT-MAURICE, C. *see* MURAT, I. 569; 1197
SALBAING, J. *see* CHAUVIN, M. 886
SALEM, M. G., RICHARDSON, J. C., MEADOWS, G. A., LAMPLUGH, G. and LAI, K. M. Comparison between glycopyrrolate and atropine in a mixture with neostigmine for reversal of neuromuscular blockade. *Studies in patients following open heart surgery* 184
SALIM, M. *see* ANIS, M., (*R*) 457
SALT, P. J., FRANCIS, R. I., NOBEL, J. and OGG, T. W. Assessment of recovery from anaesthesia using a new visual perception test, (*ARS*) 820P
SASANO, P. *see* KORINEK, A. M. 407
SAVARESE, J. J. *see* SCOTT, R. P. F. 550
SCAF, A. H. J. *see* BENCINI, A. F. 782
SCARPELLI, E. M. *see* COSMI, E. V., (*R*) 453
SCHLUMBERGER, S. *see* FISCHLER, M. 493
SCHMIDT, J. F. *see* PEDERSEN, J. E., (*C*) 1045
SCHNIEDEN, H. *see* VICKERS, M. D., (*R*) 458
SCHOLLER, K. L. *see* FRIEDRICH, G., (*C*) 936
SCHREIBER, W. *see* PLÖTZ, J., (*C*) 1044
SCHULLER, J. L., BOVILL, J. G. and NIJVELD, A. End-tidal carbon dioxide concentration as an indicator of pulmonary blood flow during closed heart surgery in children: *A Report of Two Cases* 1257
SCHÜTTLER, J. *see* WHITE, P. J. 197
SCOTT, D. *see* MCCLURE, J. H., (*C*) 931
SCOTT, D. B., TIPLADY, B. and FAGAN, D. Effects of ethanol on psychomotor performance, (*ARS*) 339P
SCOTT, D. B. *see* SINCLAIR, C. J. 587
SCOTT, R. P. F., SAVARESE, J. J., BASTA, S. J., SUNDER, N., ALI, H. H., GARGARIAN, M., GIONFRIDDO, M. and BATSON, A. G. Atracurium: clinical strategies for preventing histamine release and attenuating the haemodynamic response 550
SCUDDER, C. M. *see* FEELEY, T. W., (*ARS*) 826P
SEAR, J., (editor). *Clinics in Anaesthesiology*, January 1984; Vol. 2 No. 1: *Intravenous Anaesthiology*, (*R*) 457; Etomidate and adrenocortical synthesis in man, (*C*) 1265; *see* KAY, N. H. 736
SEBEL, P. S., HENEGHAN, C. P. and INGRAM, D. A. Evoked responses—a neurophysiological indicator of depth of anaesthesia?, (*E*) 841
SEBEL, P. S., INGRAM, D., FLYNN, P. J., RUTHERFORD, C. F. and ROGERS, H. Evoked potentials during isoflurane anaesthesia (*ARS*) 340P
SEIGNEUR, F. *see* FISCHLER, M. 382
SELLERS, W. F. S., DYE, A. and HARVEY, J. Lignocaine concentrations after 5% lignocaine ointment to the trachea, (*ARS*) 341P
SELLERS, W. F. S. and HIGGS, C. M. B. Tracheal concentrations of oxygen and nitrous oxide using Hudson and Mary Catterrall (MC) masks, (*ARS*) 831P
SELLERS, W. F. S. and RHODIN, A. Pre-oxygenation, (*C*) 1268
SELWYN CRAWFORD, J. 0.75% bupivacaine, (*C*) 240
SEOW, L. T., MATHER, L. E. and COUSINS, M. J. Comparison of the efficacy of chlormethiazole and diazepam as i.v. sedatives for supplementation of extradural anaesthesia 747
SETH, A. *see* ALGIE, T. A. 621
SHAH, J. L. *see* HARRISON, G. R. 333
SHANKS, A. B., LONG, T. and AITKENHEAD, A. R. Prolonged neuromuscular blockade following vecuronium. *A Case Report* 807
SHANKS, A. B., OGDEN, B. and AITKENHEAD, A. R. Nitrous oxide concentrations delivered by oxygen face masks supplied with a nitrous oxide–oxygen mixture, (*ARS*) 832P
SHAPER, A. *see* WHITE, P. F. 197
SHAPIRO, H. M. Barbiturates in brain ischaemia 82
SHARER, N. M. *see* NUNN, J. F., (*ARS*) 342P
SHARMA, M. *see* FAHEY, M. R. 1049
SHEREF, S. E. Pattern of CNS recovery following reversal of neuromuscular blockade. *Comparison of atropine and glycopyrrolate* 188

SHIRAHATA, M. *see* NISHINO, T. 208
SHUPAK, R. C. and HARP, J. R. Comparison between high-dose sufentanil–oxygen and high-dose fentanyl–oxygen for neuroanaesthesia 375
SIESJÖ, B. K. and WIELOCH, T. Cerebral metabolism in ischaemia: neurochemical basis for therapy 47
DE SILVA, E. *see* PANERAI, A. E. 954
SIMMONDS, R. *see* BOHEIMER, N., (*ARS*) 345P
SIMON, R. *see* MELDRUM, B. 44
SIMPSON, D. A., WRIGHT, D. J. and HAMMOND, J. E. Influence of tubocurarine pancuronium and atropine on bronchomotor tone 753
SIMPSON, D. A. *see* PONTE, J., (*ARS*) 815P
SIMPSON, D. S. *see* CALDWELL, J. E. 765
SIMPSON, K. H. Use of vecuronium in carcinoid syndrome, (*C*) 934
SIMPSON, K. H., SMITH, R. J. and DAVIES, L. F. Comparison of the effects of atropine and glycopyrrolate on cognitive function following general anaesthesia, (*ARS*) 821P
SINCLAIR, C. J., FAGAN, D. and SCOTT, D. Cardiovascular effects of a chlormethiazole infusion in combination with extradural anaesthesia 587
SIVALINGHAM, T. and PLEUVRY, B. J. Actions of morphine, pethidine and pentazocine on the oestrus and pregnant rat uterus *in vitro* 430
SIVALINGAM, T. *see* HEALY, T. E. J., (*ARS*) 829P
SKELLY, A. M. *see* BOSCOE, M. J., (*ARS*) 350P
SLOAN, T. B. and KOHT, A. Depression of cortical somatosensory evoked potentials by nitrous oxide 849
SMITH, C. L. and BUSH, G. H. Anaesthesia and progressive muscular dystrophy 1113
SMITH, G. and CONWAY, C. M. Anaesthetic equipment, (*E*) 639
SMITH, G. and COVINO, B. G., (editors). *Acute Pain*, (*R*) 1140
SMITH, G. *see* DERBYSHIRE, D. R. 858; FELL, D. 770; HOULDSWORTH, B., (*C*) 355; MCKENZIE, P. J. 853; PINNOCK, C., (*ARS*) 346P; (*E*) 547; TURNER, D. A. B. 956; VICKERS, A., (*ARS*) 820P
SMITH, M. *see* HOULDSWORTH, B., (*C*) 355
SMITH, R. J., ROBERTS, N. M., RAPER, M., RODGERS, R. J. and BENNETT, S. Cognitive effects of general anaesthesia in young and elderly patients, (*ARS*) 352P
SMITH, R. J. *see* SIMPSON, K. H., (*ARS*) 821P
SNIDER, M. T. *see* RUFFLE, J. M. 607
SONANDER, H., ARNOLD, E. and NILSSON, K. Effects of the rectal administration of diazepam. *Diazepam concentrations in children undergoing general anaesthesia* 578
SØRENSEN, M. *see* MARSTRAND, T. 971
SOSIS, M. and GOLDBERG, M. Duration of fast before effective surgery, (*C*) 1038
SPELINA, K. R. *see* COATES, D. P., (*ARS*) 821P
SPENCE, A. A. *see* ALGIE, T. A. 621; CUMMINGS, G. C., (*C*) 234
SPENCE, V. A. *see* MCCOLLUM, P. T. 1146
STAFFORD, M. A. *see* REDFERN, N., (*ARS*) 349P; 1178
STANEC, A. and STEFANO, G. Exercise, cyclic AMP and malignant hyperpyrexia susceptibility, (*C*) 837
STANSKI, D. R. *see* AUSEMS, M. E. 1217; WHITE, P. F. 197
STEEN, P. A. *see* GISVOLD, S. E. 96
STEFANO, G. *see* STANEC, A., (*C*) 837
STEFANSSON, S. B. *see* THOMAS, W. A. 134; THOMAS, W. A., (*ARS*) 337P
STELLA, L. Effect of naloxone on loss of consciousness induced by i.v. ketamine, (*C*) 930
STEWARD, D. J. *Manual of Pediatric Anesthesia* (2nd Edn.), (*R*) 1047
STILLER, G. *see* REINHART, K. 294
STILLER, R. L., RYAN COOK, D. and CHAKRAVORTI, S. *In vitro* degradation of atracurium in human plasma 1085
STODDART, J. C. *Trauma and the Anaesthesist*, (*R*) 456
STONE, C. K. *see* MORRIS, L. E. (*ARS*) 343P
STRAHAN, S. K., PLEUVRY, B. J. and MODLA, C. Y. Effect of meptazinol on neuromuscular transmission in the isolated rat phrenic nerve–diaphragm preparation 1095
STRINGER, M. *see* EVANS, S. F. 624
SUGDEN, J. C. *see* BRICKER, S. R. W. 634
SUMITOMO, M. *see* YAMASHIRO, M. 1029
SUMMERFIELD, R. J. and NIELSEN, M. S. Excretion of lorazepam into breast milk, (*C*) 1042
SUNDBERG, A. E. A. *see* AXELSSON, K. H. 960
SUNDER, N. *see* SCOTT, R. P. F. 550
SUTHERST, J. R. *see* RAO, U., (*ARS*) 814P
SWAN, P. C. *see* BROADBENT, M. P. 1018
SWEENEY, B., VESEY, C. J. and COLE, P. V. Measurement of sodium nitroprusside in blood and the determination of its half-life following infusion in man, (*ARS*) 827P
SWEENEY, B. *see* BINGHAM, R. M., (*ARS*) 342P
SYKES, M. K. *see* MORTIMER, A. J., (*ARS*) 819P
SYMON, L. Flow thresholds in brain ischaemia and the effects of drugs 34

TAMPUBOLON, O. *see* BILSBACK, P. 943
TARKKANEN, J. *see* KORTTILA, K. 581
TEKERES, M. *see* BARDOSI, L. 520
TENG, N. N. H. *see* FEELEY, T. W., (*ARS*) 826P
THIBONNIER, M. *see* KORINEK, A. M. 407
THOMAS, W. A., COLE, P. V., ETHERINGTON, N. J., PRIOR, P. F. and STEFANSSON, S. B. Electrical activity of the cerebral cortex during induced hypotension in man. *A comparison of sodium nitroprusside and trimetaphan* 134; (*ARS*) 337P
THOMAS, W. A. *see* EVANS, S. F. 624
THOMPSON, J. N. and WEEKS, D. B. Management of blunt trauma to the cervical portion of the trachea, (*C*) 236
THOMPSON, P. W. and WILKINSON, D. J. Development of anaesthetic machines 640
THOMSON, D. A. *see* ZBINDEN, A. M. 796
THORBURN, J. Subarachnoid blockade and total hip replacement. *The effect of ephedrine on intraoperative blood loss* 290
THORBURN, J. and MOIR, D. D. 0.75% Bupivacaine, (*C*) 240
THORBURN, J. *see* DUTTON, D. A., (*C*) 932
THORNTON, C. *see* NAVARATNARAJAH, M., (*ARS*) 352P
THORNTON, C., HENEGHAN, C. P. H., NAVARATNARAJAH, M., BATEMAN, P. E. and JONES, J. G. Effect of etomidate on the auditory evoked response in man 554
TIPLADY, B. *see* SCOTT, D. B., (*ARS*) 339P
TODD, J. G. *see* NIMMO, W. S. 250
TOMLIN, S. J. *see* EVANS, S. F. 624
TOOTHILL, C. *see* WEBSTER, N. R., (*ARS*) 818P
TRANG, H. *see* FISCHLER, M. 872; 877
TRAYSTMAN, R. J. *see* MCPHERSON, R. W. 1232
TREVOR, A. J. *see* WHITE, P. F. 197
TUNSTALL, M. E. "Esophageal gastric tube airway"—a potential hazard, (*C*) 931; Tactile orotracheal intubation, (*C*) 356
TURNER, D. A. B. and SMITH, G. Evaluation of the combined effects of atropine and neostigmine on the lower oesophageal sphincter 956
TURNER, D. R. and DOWNING, J. W. Anaesthetic problems associated with Weaver's Syndrome 1260
TY SMITH, N. *see* GRAVENSTEIN, J. S., (*R*) 243

UPPFELDT, A. *see* HALLÉN, B. 326
UPPINGTON, J. *see* KAY, N. H. 736
UPTON, R. N. *see* RUNCIMAN, W. B. 1239
UTTING, J. E. *see* BELL, C. F. 160; HUNTER, J. M. 758

VALENTIN, N. *see* HUSUM, D. 1100
VAN DER SPEK, A. F. L. and WILTON, N. Suxamethonium spasm, (*C*) 353

VATASHSKY, E. *see* BEILIN, B., (*C*) 1041
VAUGHAN, R. W. *see* BROWN, B. R. jr, (*R*) 1140
VAXELAIRE, J. F. *see* FISCHLER, M. 872
VELLA, L. M. *see* CASHMAN, J. N., (*ARS*) 338P; 488
VERGHESE, C. *see* LALOR, J. M., (*ARS*) 833P
VERSICHELEN, L. *see* ROLLY, G. 743
VESEY, C. J. and COLE, P. V. Blood cyanide and thiocyanate concentrations produced by long-term therapy with sodium nitroprusside 148
VESEY, C. J. *see* SWEENEY, B., (*ARS*) 827P
VETTER, H. O. *see* ACKERN, K. VAN 497
VIARS, P. *see* CHAUVIN, M. 886; GUGGIARI, M. 142; KORINEK, A. M. 407
VICKERS, A., DERBYSHIRE, D. R., BURT, D. R., BAGSHAW, P. F., PEARSON, H. and SMITH, G. Comparison of the Cardiff Palliator and Leicester Micropalliator in the relief of postoperative pain, (*ARS*) 820P
VICKERS, M. D. and LUNN, J. N., (editors). *Mortality in Anaesthesia*, (*R*) 939
VICKERS, M. D. and ROSEN, M. Relative potency of agonist and partial agonist opioids, (*C*) 720
VICKERS, M. D. and SCHNIEDEN, H. and WOOD-SMITH, F. G., (editors). *Drugs in Anaesthetic Practice*, (*R*) 458
VIDECOQ, M., ARVIEUX, C. C., RAMSAY, J. G., FOËX, P., RYDER, W. A., JONES, L. A. and JEAVONS, P. The association verapamil–isoflurane induces regional myocardial dysfunction, (*ARS*) 825P
VILLIGER, J. W. *see* BOAS, R. A. 192
VINNARS, E. *see* EVERS, H. 997
VISENTIN, M. *see* RIZZI, R., (*R*) 1142
VOURC'H, G., LE GALL, R. and COLCHEN, A. Pneumopericardium: an unusual complication of endotracheal laser surgery 451
VOURC'H, G. *see* FISCHLER, M. 382; 493; 872; 877
VREE, T. B. *see* DRIESSEN, J. J. 1089

WALDMANN, C. S. *see* LALOR, J. M., (*ARS*) 833P
WALKER, W. F. *see* MCCOLLUM, P. T. 1146
WALMSLEY, A. J. *see* BOSCOE, M. J., (*ARS*) 834P; MCLEOD, B. J., (*ARS*) 822P
WALTON, B. *see* FLYNN, P. J., (*C*) 545
WANDALL, E. *see* MØLLER, I. W. 591
WARD, S. *see* BOHEIMER, N., (*ARS*) 345P
WARDLEY-SMITH, B. and HALSEY, M. J. Mixtures of inhalation and intravenous anaesthetics at high pressure. *A test of the multi-site hypothesis of general anaesthesia* 1248
WARDLEY-SMITH, B. and LITTLE, H. J. *In vivo* interactions between the benzodiazepine antagonist Ro 15-1788 and the steroid anaesthetic Althesin in rats 629
WATKINS, S. B. *see* MAIL, L. W., (*C*) 1046
WEATHERLY, B. *see* BOHEIMER, N., (*ARS*) 345P
WEBSTER, M. W. *see* GRUNDY, B. L. 445
WEBSTER, N. R. and TOOTHILL, C. Blood storage and antioxidant potential, (*ARS*) 818P
WEDLEY, J. R. *see* JONES, R. M. 259
WEEKS, D. B. *see* THOMPSON, J. N., (*C*) 236
WEIGEL, K. *see* FRIEDRICH, G., (*C*) 936
WEINMAN, J. A. *see* BOSCOE, M. J., (*ARS*) 350P
WEISKOPF, R. B. and BOGETZ, M. S. Haemorrhage decreases the anaesthetic requirement for ketamine and thiopentone in the pig 1022
WELCHEW, E. A. An open comparison of patient-controlled on-demand fentanyl delivered either extradurally or i.v., (*ARS*) 346P; *see* CHALLEN, K. B., (*ARS*) 346P
WELLS, J. K. G. Comparison of ICI 35868, etomidate and methohexitone for day-case anaesthesia 732
WESTENSKOW, D. *see* ZBINDEN, A. M. 796
WHITBURN, R. H. *see* COLLINS, K. M. 1226
WHITE, D. C. Vaporization and voporizers 658
WHITE, P. F., SCHÜTTLER, J., SHAPER, A., STANSKI, D. R., HORAI, Y. and TREVOR, A. J. Comparative pharmacology of the ketamine isomers. *Studies in volunteers* 197
WHITTLE, I. R. *see* BAINES, D. B. 896
WHITWAM, J. G. *see* HARROP-GRIFFTH, A. W., (*ARS*) 819P; PERL, A., (*ARS*) 824P
WIDMAN, G. B. *see* AXELSSON, K. H. 960
WIELOCH, T. *see* SIESJÖ, B. K. 47
WILDSMITH, J. A. W., GISSEN, A. J., GREGUS, J. and COVINO, B. G. Differential nerve blocking activity of amino-ester local anaesthetics 612
WILKES, E. and LEVY, J., (editors). *Advances in Morphine Therapy: The 1983 International Symposium on Pain Control*, (*R*) 938
WILKINSON, D. J., O'CONNOR, S. A., DICKSON, G. R. and DRAKE, H. F. Meptazinol—a cause of respiratory depression in general anaesthesia 1077
WILKINSON, D. J. *see* THOMPSON, P. W. 640
WILLATTS, D. G. and REYNOLDS, F. Comparison of the vasoactivity of amide and ester local anaesthetics. *An intradermal study* 1006
WILLATTS, S. M. and COCHRANE, D. F. Paranasal sinusitis: a complication of nasotracheal intubation. *Two case reports* 1026
WILLIAMS, C. H. *see* ILIAS, W. K. 994
WILLIAMS, N. E. *see* CHARWAY, C. L. 949
WILTON, N. *see* VAN DER SPEK, A. F. L., (*C*) 353
WINNIE, A. P. *Plexus Anaesthesia, Volume 1: Perivascular Techniques of Brachial Plexus Block*, (*R*) 938
WISE, C. C. *see* EVANS, J. M., (*ARS*) 340P
WISHART, H. Y. *see* MCKENZIE, P. J. 853
WOOD-SMITH, F. G. *see* VICKERS, M. D., (*R*) 458
WRIGHT, B. M. *see* DAVENPORT, H. T., (*C*) 354
WRIGHT, D. J., POTTER, D. R., BOWER, S. and LESTER, J. Computer controlled infusion in the assessment of pharmacokinetic parameters for alfentanil, (*ARS*) 347P
WRIGHT, D. J. *see* SIMPSON, D. A. 753
WULF, H. C. *see* HUSUM, B. 1100

YAMASHIRO, M., SUMITOMO, M. and FURUYA, H. Paroxysmal electroencephalographic discharges during enflurane anaesthesia in patients with a history of cerebral convulsions 1029
YEOMAN, P. M. *see* BYRNE, A. J., (*C*) 1264
YOKOTA, T. and DUBNER, R., (editors). *Current Topics in Pain Research and Therapy*. Proceedings of the International Sympsoium on Pain, (*R*) 940
YONEZAWA, T. *see* NISHINO, T. 208
YOUNKER, D. and HARRISON, B. Scleroderma and pregnancy. *Anaesthestic considerations* 1136

ZBINDEN, A. M., FREI, F. J., FUNK, B., THOMSON, D. A. and WESTENSKOW, D. Determination of the partial pressure of halothane (or isoflurane) in blood 796

SUBJECT INDEX

Abdominal surgery, effects of the extradural administration of local anaesthetic agents and morphine on the urinary excretion of cortisol, catecholamines and nitrogen following, HJORTSØ, N.-C., *et al.* 400

Abnormal pulmonary circulation, gas exchange during anaesthesia in children with, FLETCHER, R., (*ARS*) 817P

Acupuncture, for relief of meptazinol-induced vomiting, CHESTNUTT, W. N., *et al.*, (*ARS*) 825P

Acute Cardiovascular Management: Anaesthesia and Intensive Care, REAM, A. K., *et al.*, (*R*) 454

Acute Pain, SMITH, G., *et al.*, (editors), (*R*) 1140

ADH secretion, effects of postoperative extradural morphine on, KORINEK, A. M., *et al.* 407

Adrenal steroidogenesis, *in vitro*, effect of propofol, thiopentone and etomidate, LAMBERT, A., *et al.* 505

Adrenaline infiltration, and ventricular arrhythmias during gynaecological surgery, CUNNINGHAM, A. J., (*C*) 936

Adrenocortical synthesis, and etomidate in man, BYRNE, A. J., *et al.*, (*C*) 1264; DUTHIE, D., *et al.*, (*C*) 1266; FASSOULAKI, A., (*C*) 1264; SEAR, J., (*C*) 1265

Adult respiratory distress syndrome (ARDS), relationship between indices of alveolar capillary barrier (ACB) solute flux in patients with ARDS, ROYSTON, D., *et al.*, (*ARS*) 814P

Age, effect on "induction dose" of propofol, ROBINSON, F. P., *et al.*, (*ARS*) 349P

Agonist opioids, and partial agonists, relative potency, KAY, B., (*C*) 719

Air break receiver units, DAVENPORT, H. T., *et al.*, (*C*) 354

Airway obstruction, an unusual presentation, JAGO, R. H., *et al.*, (*C*) 541

Airway patency, in the unconscious patient, BODIN, M. P. 306

Alcuronium, and atracurium, effect of i.v. induction regimens on endotracheal intubation with, BALI, I. M., *et al.*, (*ARS*) 830P

——, compared with atracurium during halothane anaesthesia by measurement of the train-of-four response of the adductor pollicis muscle and clinical observation, LIN, L. P. S., *et al.* 1067

——, compared with tubocurarine, pancuronium and vecuronium in the suppression of the oculocardiac reflex during strabismus surgery in children, KARHUNEN, U., *et al.* 1209

——, train-of-four fade and the speed of onset, PFEIFFER, P. M., *et al.*, (*ARS*) 823P

Alfentanil, anaesthesia, effect on the adrenocortical and hyperglycaemic response to abdominal surgery, MØLLER, I. W., *et al.* 591

——, and fentanyl pretreatment, influence on the action of midazolam, HALLIDAY, N. J., *et al.*, (*ARS*) 351P

——, an evaluation of accuracy of pharmacokinetic data for the computer assisted infusion of alfentanil, AUSEMS, M. E., *et al.* 1217

——, computer controlled infusion in the assessment of pharmacokinetic parameters for, WRIGHT, D. J., *et al.*, (*ARS*) 347P

——, effects on cerebral vascular reactivity in dogs, MCPHERSON, R. W., *et al.* 1232

——, fentanyl and lofentanil, pH-dependent accumulation by beating guineapig atria, LÜLLMANN, H., *et al.* 1012

——, intramuscular or extradural, clinical assessment and plasma pharmacokinetics, CHAUVIN, M., *et al.* 886

——, or halothane-supplemented anaesthesia for output termination of pregnancy, COLLINS, K. M., *et al.* 1226

Althesin, anaesthesia, hypoxic ventilatory drive in the dog under, JONES, R. S., (*C*) 356

——, and etomidate compared in the reduction of increased intracranial pressure after head injury, DEARDEN, N. M., *et al.* 361

——, compared with propofol in emulsion for induction of anaesthesia, CUMMINGS, G. C., *et al.*, (*C*) 234

——, effect upon spontaneous lower oesophageal contractility (SLOC) in man, EVANS, J. M., *et al.*, (*ARS*) 340P

——, steroid anaesthetic, *in vivo* interactions with the benzodiazepine antagonist Ro 15-1788 in rats, WARDLEY-SMITH, B., *et al.* 629

——, use of a continuous infusion in neuroanaesthesia. *Changes in cerebral blood flow, cerebral metabolism, the EEG and plasma alphaxalone concentration*, BENDTSEN, A., *et al.* 369

Alveolar capillary barrier (ACB) relationship between indices of ACB solute flux in patients with adult respiratory distress syndrome (ARDS), ROYSTON, D., *et al.*, (*ARS*) 814P

Amethocaine, 0.5% in 5% glucose, and 0.75% bupivacaine, comparison for spinal anaesthesia, MARSTRAND, T., *et al.* 971

Amino-ester local anaesthetics, differential nerve blocking activity, WILDSMITH, J. A. W., *et al.* 612

Anaesthesia and Sedation in Dentistry. Monographs in Anaesthiology, COPLANS, M. P., *et al.*, (editors), (*R*) 458

Anaesthesia depth, effects of increase in depth on phrenic nerve and hypoglossal nerve activity during the swallowing reflex in cats, NISHINO, T., *et al.* 208

Anaesthesia: Lecture Notes for Students, ANIS, M., *et al.*, (*R*) 457

Anaesthesia Review 2, KAUFMAN, L., (editor), (*R*) 243

Anaesthesia: Safety for All, GOMEY, Q. J., *et al.*, (editors), (*R*) 941

Anaesthetic breathing systems, CONWAY, C. M. 649

Anaesthetic equipment, SMITH, G., *et al.*, (*E*) 639

Anaesthetic equipment standards, national and international, GREENBAUM, R. 709

Anaesthetic machines, development of, THOMPSON, P. W., *et al.* 640

Anatomy for Anaesthetists, 4th edition, (*R*) 456

An Integrated Approach to Monitoring, GRAVENSTEIN, J. S., *et al.*, (editors), (*R*) 243

An Introduction to Neurosurgery, JENNETT, B., *et al.*, (*R*) 457

Antioxidant potential, and blood storage, WEBSTER, N. R., *et al.*, (*ARS*) 818P

Anxiety, assessment by measurement of plasma catecholamine concentrations, FELL, D., *et al.* 770

A Practice of Anaesthesia (5th Edn), CHURCHILL-DAVIDSON, H. C., (editor), (*R*) 941

Arterial pressure measurement, by invasive *v.* non-invasive methods. *Comparison of two automatic methods and simultaneously measured direct intra-arterial pressure*, EGMOND, J. VAN, *et al.* 434

Aspirin, and morphine, comparison of infusions for the relief of pain after surgery, CASHMAN, J. N., *et al.* 255

——, and morphine, comparison of infusions for the relief of pain after thoracic surgery, JONES, R. M., *et al.* 259

Atracurium, and alcuronium, effect of i.v. induction regimens on endotracheal intubation with, BALI, I. M., *et al.*, (*ARS*) 830P

——, and dystophia myotonica. *A Case Report*, NIGHTINGALE, P., *et al.* 1131

Atracurium, and pancuronium, a comparison of neuromuscular recovery following blockade by BURCHETT, K., *et al.*, (*ARS*) 338P
——, and pH, FLYNN, P. J., *et al.*, (*C*) 545
——, and vecuronium cause aponea and loss of knee jerk reflex before neuromuscular block in the hand is complete, NEWTON, D. E. F., *et al.*, (*ARS*) 345P
——, and vecuronium, dosage and speed of onset, HEALY, T. E. J., *et al.*, (*ARS*) 829P
——, and vecuronium, effects on the depolarization phase of the evoked compound action potential of the adductor pollicis, HUGH, N. D., *et al.*, (*ARS*) 830P
——, and vecuronium, interaction, BLACK, T. E., *et al.*, (ARS) 344P
——, and vecuronium, use in patients with oesophageal varices, BELL, C. F., *et al.* 160
——, causing allergic reaction, ALDRETE, J. A., (*C*) 929
——, causing probable histamine liberation. *A Case Report*, LAVERY, G. C., *et al.* 811
——, clinical strategies for preventing histamine release and attenuating the haemodynamic response, SCOTT, R. P. F., *et al.* 550
——, compared with alcuronium during halothane anaesthesia by measurement of the train-of-four response of the adductor pollicis muscle and clinical observation, LIN, L. P. S., *et al.* 1067
——, cutaneous reaction, MADDEN, A. P., *et al.*, (*C*) 541
——, i.v. bolus dose in patients with impaired renal function, pharmacokinetics of laudanosine and quaternary alcohol, BOHEIMER, N., *et al.*, (*ARS*) 345P
——, *in vitro* degradation in human plasma, STILLER, R. L., *et al.* 1085
——, metocurine, pancuronium and vecuronium, direct measurement of intra-ocular pressure in dogs during neuromuscular blockade, EARNSHAW, G., *et al.*, (*ARS*) 344P
——, metocurine, vecuronium and fazadinium, cross-reactivity with IgE antibodies from patients unexposed to these drugs but allergic to other myoneural blocking drugs, HARLE, D. G., *et al.* 1073
——, potency determination using single bolus dose *v.* cumulative dose techniques, LAVERY, G. G., *et al.*, (*ARS*) 344P
——, simple infusions, ROWLANDS, D. E., (*C*) 542
——, vecuronium and pancuronium, neuromuscular blocking effects during bolus and infusion adminstration, GRAMSTAD, L., *et al.* 1052
Atropine, and glycopyrrolate, comparison of the effects on cognitive function following general anaesthesia, SIMPSON, K. H., *et al.*, (*ARS*) 821P
——, and hyoscine, comparison of the cognitive effects of premedication, ANDERSON, S., *et al.* 169
——, and hyoscine methobromide, chronotropic and dromotropic effects in unanaesthetized dogs, KANTELIP, J. P., *et al.* 214
——, and neostigmine, evaluation of the combined effects on the lower oesophageal sphincter, TURNER, D. A. B. *et al.* 956
——, and neostigmine, respiratory problems in dogs, HAIL, L. W., *et al.*, (*C*) 1046
——, and pyridostigmine mixture, effect on forced expiratory volume (FEV_1), and serum cholinesterase activity in normal subjects, FELDT-RASMUSSEN, B. F., *et al.* 204
——, compared with glycopyrrolate in a mixture with neostigmine for reversal of neuromuscular blockade. *Studies in patients following open heart surgery*, SALEM, M. G., *et al.* 184
——, compared with glycopyrrolate. Pattern of CNS recovery following reversal of neuromuscular blockade, SHEREF, S. E. 188
Atropine, or glycopyrrolate, antagonism of the muscarinic effects of eprophonium, MIRAKHUR, R. K. 1213
——, or glycopyrrolate, comparison of the ocular effects with i.v. induction agents, GREENAN, J., *et al.* 180
——, tubocurarine and pancuronium, influence on bronchomotor tone, SIMPSON, D. A., *et al.* 753
Auditory evoked reponse, in man, effect of etomidate, THORNTON, C., *et al.* 554
——, in man, effects of isoflurane, NAVARATNARAJAH, M., *et al.*, (*ARS*) 352P

Baclofen, prolongs the analgesic effect of fentanyl in man, PANERAI, A. E., *et al.* 954
Barbiturates, in brain ischaemia, SHAPIRO, H. M. 82
β-endorphin, or met-enkaphalin-like immunoreactivity, nitrous oxide inhalation does not influence plasma concentrations of, EVANS, S. F., *et al.* 624
Beta-endorphin, plasma, changes with various anaesthetics, MORRIS, L. E., *et al.*, (*ARS*) 343P
Blood glucose concentration, continuous monitoring during open heart surgery, MCKNIGHT, C. K., *et al.* 595
Blood quality, prepared with a cell saver, MCSHANE, A. J., *et al.*, (*ARS*) 343P
Blood storage, and antioxidant potential, WEBSTER, N. R., *et al.*, (*ARS*) 818P
Body shape changes, on induction of anaesthesia, LOGAN, M. R., *et al.*, (*ARS*) 348P
Body temperature changes, and muscle proteolysis associated with major abdominal surgery in elderly patients, CARLI, F., *et al.*, (*ARS*) 350P
Bone marrow changes, after chronic inhalation of nitrous oxide anaesthesia, NUNN, J. F., *et al.*, (*ARS*) 342P
Book Reviews
Acute Cardiovascular Management: Anaesthesia and Intensive Care, REAM, A. K., *et al.*, (*R*) 454
Acute Pain, SMITH, G., *et al.*, (editors), (*R*) 1140
Anaesthesia and Sedation in Dentistry. Monographs in Anaesthesiology, COPLANS, M. P., *et al.*, (editors), (*R*) 458
Anaesthesia: Lecture Notes for Students, ANIS, M., *et al.*, (*R*) 457
Anaesthesia Review 2, KAUFMAN, L., (editor), (*R*) 243
Anaesthesia: Safety for All, GOMEY, Q. J., *et al.*, (editors), (*R*) 940
Anatomy for Anaesthetists, 4th edition, (*R*) 456
An Integrated Approach to Monitoring, GRAVENSTEIN, J. S., *et al.*, (editors), (*R*) 243
An Introduction to Neurosurgery, JENNETT, B., *et al.*, (*R*) 457
A Practice of Anaesthesia (5th Edn), CHURCHILL-DAVIDSON, H. C., (editor), (*R*) 941
Chronic Obstructive Pulmonary Disease, MONTENEGRO, H. D., (editor), (*R*) 1141
Clinical Anaesthesiology, BROWN, B. R. jr, *et al.*, (*R*) 1140
Clinical and Resuscitative Data (3rd Edn), DUNNILL, R. P. H., *et al.*, (*R*) 938
Clinics in Anaesthesiology, January 1984; Vol. 2 No. 1: *Intravenous Anaesthesiology*, SEAR, J., (editor), (*R*) 457
Current Topics in Pain Research and Therapy. Proceedings of the International Symposium on Pain, YOKOTA, T., *et al.*, (editors), (*R*) 940
Drugs in Anaesthetic Practice, VICKERS, M. D., *et al.*, (editors), (*R*) 458
Future Anaesthesia Delivery Systems, Brown, B. R., jr, (editor), (*R*) 453
Inhalation Anaesthesiology. Clinics in Anaesthesiology, MAZZE, R. I., (editor), (*R*) 939
Intensive Care, GERSON, C., (editor), (*R*) 1140
Manual of Pediatric Anesthesia (2nd Edn), STEWARD, D. J., (*R*) 1047
Manual of Preoperative and Postoperative Care, DUDRICK, (*et al.*), (*R*) 455

Book Reviews
Mortality in Anaesthesia, VICKERS, M. D. *et al.*, (editors), (*R*) 939
Neural Mechanisms of Pain. Advances in Pain Research and Therapy: Vol. 6; KRUGER, L., *et al.*, (editors), (*R*) 453
Nursing the Patient in Pain, MCCAFFERY, M., (*R*) 458
Pain. (Proceedings of Joint Meeting of the European Chapters of the International Association for the of Pain, Abano Terme, May 1983), RIZZI, R., *et al.*, (editors), (*R*) 1142
Pediatric Anesthesia, Vols. I and II, GREGORY, G. A., (editor), (*R*) 455
Plexus Anesthesia, Volume 1: Perivascular Techniques of Brachial Plexus Block, WINNIE, A. P., (*R*) 938
Pulmonary Surfactant System, COSMI, E. V., *et al.*, (editors), (*R*) 453
The Electroencephalogram in Anaesthesia. Fundamentals, Practical Applications, Examples, PILCHMAYR, I., *et al.*, (*R*) 940
The Origins of Anaesthesia, NULAND, S. B., (R) 454
Trauma and the Anaesthetist, STODDART, J. C., (*R*) 456
Year Book of Anaesthesia (1984), MILLER, R. D., (editor), (*R*) 1047
Brain ischaemia, and barbiturates, SHAPIRO, H. M. 82
——, and drug therapy, GISVOLD, S. E., *et al.* 96
——, and head injury—implications for therapy, MILLER, J. D. 120
——, EEG monitoring and evoked potentials, PRIOR, P. R. 63
——, flow thresholds and the effects of drugs, SYMON, L. 34
——, followed by brain oedema and the influence of therapy, KLATZO, I. 18
——, and induced hypotension, MCDOWALL, D. G. 110
——, ionic changes, and alterations produced by drugs, HEUSER, D., *et al.* 23
——, its prevention and treatment, MCDOWALL, D. G., (*E*) 1
——, pathology and possibilities for therapeutic intervention, GRAHAM, D. I. 3
Brain oedema, following brain ischaemia and the influence of therapy, KLATZO, I. 18
Brainstem auditory evoked potentials, monitoring during basilar artery occlusion in man, LAM, A. M., *et al.* 924
Breech delivery, singleton, extradural analgesia in the management of, CONFINO, E., *et al.* 892
Bronchial intubation, selective contralateral, in children with pneumothorax or bronchopieural fistula, BHOJRAJ, Y. G., (*C*) 237
Bronchomotor tone, influence of tubocurarine, pancuronium and atropine, SIMPSON, D. A., *et al.* 753
Bronchoscopy, comparison of diazepam and midazolam for sedation during local anaesthesia for, KORTTILA, K., *et al.* 581
——, jet ventilation using low or high frequencies during, FISCHLER, M., *et al.* 382
Bupivacaine, 0.75%, and amethocaine, 0.5% in 5% glucose, comparison for spinal anaesthesia, MARSTRAND, T., *et al.* 971
——, and fentanyl mixtures for extradural blockade, RUCCI, F. S., *et al.* 275
——, continuous extradural infusion of 0.0625% or 0.125% for pain relief in primigravid labour, LI, D. F., *et al.* 264
——, for spinal blockade, effects on parturition in rats, LI, D. F., *et al.* 515
Bupivacaine, 0.5% hyperbaric and glucose-free, studies during spinal anaesthesia. A double-blind study of motor blockade in the lower limbs, AXELSSON, K. H. 960
——, lignocaine or 2-chloroprocaine, neurological toxicity of the subarchnoid infusion in the rat, LI, D. F., *et al.* 424
——, or morphine, effects of extradural administration on the metabolic response to upper abdominal surgery, HÅKANSON, E., *et al.* 394
——, 0.75%, SELWYN CRAWFORD, J., (*C*) 240
Buprenorphine, and fentanyl, clinical actions. The significance of receptor binding, BOAS, R. A., *et al.* 192
——, high-dose, a strong analgesic in combination with naloxone, PEDERSEN, J. E., *et al.*, (*C*) 1045
——, lofentanil or saline, efficacy of the extradural administration in the management of postoperative pain. *A double-blind study*, BILSACK, P., *et al.* 943
——, supplemented anaesthesia. *Influence of dose on duration of anaesthesia after cholecystectomy*, OBEL, D., *et al.* 271

Caesarean section, extradural, choice of local anaesthetic drug for, MCCLURE, J. H., *et al.*, (*C*) 931
——, maternal and neonatal responses related to the volatile agent used to maintain anaesthesia at, CRAWFORD, J. S., *et al.* 482
Calcium entry blockers, interactions with vecuronium bromide in anaesthetized cats, ANDERSON, K. A., *et al.* 775
Capnometer, assessment of the Hewlett–Packard HP47210A, KINSELLA, S. M. 919
Carbon dioxide, ventilatory responses to, in children during nitrous oxide-halothane anaesthesia, MURAT, I., *et al.* 1197
Carbon dioxide clearance, and deadspace from a lung-model during high-frequency jet ventilation, MORTIMER, A. J., *et al.*, (*ARS*) 819P
Carbon dioxide inhalation, and rebreathing, ventilatory responses during anaesthesia in children, LINDAHL, S. G. E., *et al.* 1188
Carbon dioxide laser surgery, on the trachea, anaesthesia for, CONACHER, I. D., *et al.* 448
Carcinoid syndrome, use of vecuronium in, SIMPSON, K. H., (*C*) 934
Cardiac anaesthesia, propofol for induction of. A pilot study, MCLEOD, B. J., *et al.*, (*ARS*) 822P
Cardiac effects, of atropine and hyoscine methobromide in unanaesthetized dogs, KANTELIP, J. P., *et al.* 214
Cardiac rate and rhythm, during anaesthesia for dental extraction. *A comparison of halothane, enflurane and isoflurane*, CASSON, W. R., *et al.* 476
Cardiff Palliator, compared with Leicester Micropalliator in the relief of postoperative pain, VICKERS, A., *et al.*, (*ARS*) 820P
Cardiopulmonary bypass, pharmacokinetics of diazepam and midazolam when used for sedation following, LOWRY, K. G., *et al.* 883
——, pharmacokinetics of phenoperidine in patients undergoing, FISCHLER, M., *et al.* 877
——, resulting in bronchospasm and hypotension, HARDY, P. A. J., (*C*) 720
Cardiovascular effects, of a chlormethiazole infusion in combination with extradural anaesthesia, SINCLAIR, C. J., *et al.* 587
Cardiovascular responses, to tracheal intubation in small children. *Effects of the induction of anaesthesia with halothane*, LINDGREN, L., *et al.* 1183
Carotid endarterectomy, EEG changes: drug effect and embolism, GRUNDY, B. L., *et al.* 445
Cat, disposition of vecuronium bromide, BENCINI, A. F., *et al.* 782
Catecholamine, measurement of plasma concentrations. *An Assessment of Anxiety*, FELL, D., *et al.* 770

Cefoxitin disposition, the effects of general and spinal anaesthesia on blood flow and cefoxitin disposition, RUNCIMAN, W. B., *et al.* 1239
Cell saver, quality of blood prepared with a, MCSHANE, A. J., *et al.*, (*ARS*) 343P
Cerebral electrical activity, during induced hypotension in man. *A comparison of sodium nitroprusside and trimetaphan*, THOMAS, W. A., *et al.* 134
——, influences the effects of etomidate on cerebral perfusion pressure in traumatic coma, BINGHAM, R. M., *et al.* 848
Cerebral Function Analysing Monitor, changes in output compared with changing plasma concentrations of midazolam, LALOR, J. M., *et al.*, (*ARS*) 833P
Cerebral metabolism in ischaemia, neurochemical basis for therapy, SIESJÖ, B. K., *et al.* 47
Cerebral vascular reactivity, in dogs, effects of alfentanil, MCPHERSON, R. W., *et al.* 1232
Children, effects of preoperative feeding on gastric pH and volume in, MEAKIN, G., *et al.*, (*ARS*) 832P
——, small, cardiovascular responses to tracheal intubation. Effects of the induction of anaesthesia with halothane, LINDGREN, L., *et al.* 1183
——, ventilatory responses to carbon dioxide in children during nitrous oxide–halothane anaesthesia, MURAT, I., *et al.*, 1197
——, ventilatory responses to rebreathing and carbon dioxide inhalation during anaesthesia in children, LINDAHL, S. G. E., *et al.* 1188
Chlormethiazole, and diazepam, comparison of efficacy as i.v. sedatives for supplementation of extradural anaesthesia, SEOW, L. T., *et al.* 747
Chlormethiazole infusion, in combination with extradural anaesthesia, cardiovascular effects, SINCLAIR, C. J., *et al.* 587
2-Chloroprocaine, bupivacaine or lignocaine, neurological toxicity of the subarachnoid infusion in the rat, LI, D. F., *et al.* 424
Cholecystectomy, controlled trial of continuous intercostal nerve blockade and i.m. morphine after, POLLOK, A. J. P., *et al.*, (*ARS*) 824P
Chronic Obstructive Pulmonary Disease, MONTENEGRO, H. D., (editor), (*R*) 1141
Cigarette smoking, abstaining has no major effect on gastric emptying in habitual smokers, PETRING, O. U., *et al.* 1104
Clinical and Resuscitative Data (3rd Edn), DUNNILL, R. P. H., *et al.*, (*R*) 938
Clinical Anesthesiology, BROWN, B. R. jr, *et al.*, (*R*) 1140
Clinical impressions, back to, HUNTER, A. R., (*E*) 723
Clinics in Anaesthesiology, January 1984; Vol. 2 No. 1: *Intravenous Anaesthesiology*, SEAR, J., (editor), (*R*) 457
Closed heart surgery, in children, end-tidal carbon dioxide concentration as an indicator of pulmonary blood flow during surgery. *A report of two cases*, SCHULLER, J. L., *et al.* 1257
CNS recovery pattern, following reversal of neuromuscular blockade. Comparison of atropine and glycopyrrolate, SHEREF, S. E. 188
Cognitive effects, of general anaesthesia in young and elderly patients, SMITH, R. J., *et al.*, (*ARS*) 352P
——, of premedication, comparison of hyoscine and atropine, ANDERSON, S., *et al.* 169
Cognitive function, following general anaesthesia, comparison of the effects of atropine and glycopyrrolate, SIMPSON, K. H., *et al.*, (*ARS*) 821P
Colonic surgery, major, effect of intrathecal diamorphine on the adrenocortical, hyperglycaemic and cardiovascular responses to, CHILD, C. S., *et al.* 389
Computer assisted infusion, of alfentanil, an evaluation of the accuracy of pharmacokinetic data, AUSEMS, M. E., *et al.* 1217
Continuous flow ventilation, combined with intermittent positive pressure ventilation, PERL, A., *et al.*, (*ARS*) 824P
Continuous intercostal nerve blockade, and i.m. morphine, controlled trial after cholecystectomy, POLLOK, A. J. P., *et al.*, (*ARS*) 824P
Controlled hypotension, with nitroglycerine, GUGGIARI, M., *et al.* 142
Coronary artery disease, circulatory responses to thiopentone and tracheal intubation in patients with, FISCHLER, M., *et al.* 493
Corticosteroid synthesis, in man, effect of induction of anaesthesia with etomidate, DUTHIE, D. J. R., *et al.* 156
Cortisol synthesis, comparison of the effects of etomidate, thiopentone and propofol, KENYON, C. J., *et al.* 509
Critical coronary artery constriction, myocardial function when nitrous oxide is added to halothane in the presence of, RAMSAY, J. G., *et al.*, (*ARS*) 817P
Current Topics in Pain Research and Therapy. Proceedings of the International Symposium on Pain, YOKOTA, T., *et al.*, (editors), (*R*) 940
Cutaneous reactions, to atracurium, MADDEN, A. P., *et al.*, (*C*) 541
——, to pancuronium, NORENG, M. F., (*C*) 1269
Cyanide, and thiocyanate blood concentrations produced by long-term therapy with sodium nitroprusside, VESEY, C. J., *et al.* 148
Cyclic AMP, exercise and malignant hyperpyrexia susceptibility, CAMPBELL, I. T., (*C*) 837

Day-case surgery, zomepirac, dihydrocodeine and placebo compared in postoperative pain. *The relationship between the effects of single and multiple doses*, MCQUAY, H. J., *et al.* 412
Deadspace, and carbon dioxide clearance from a lung model during high-frequency jet ventilation, MORTIMER, A. J., *et al.*, (*ARS*) 819P
——, invasive and non-invasive, (*E*), FLETCHER, R. 245
Deadspace volume, changes, ventilatory responses of children to. *Studies using the T-piece (Mapleson F) system*, CHARLTON, A. J., *et al.* 562
Deep vein thrombosis, effects of an anaesthetic technique. *A comparison of subarachnoid and general anaesthesia*, MCKENZIE, P. J., *et al.* 853
Dental anaesthesia, cardiac rate and rhythm during. *A comparison of halothane, enflurane and isoflurane*, CASSON, W. R., *et al.* 476
——, paediatric outpatient. A comparison of isoflurane and halothane, MCATEER, P. M., *et al.*, (*ARS*) 826P
Depth of anaesthesia, indicated by evoked responses, a neurophysiological indicator, SEBEL, P. S., *et al.*, (*E*) 841
Dermal effects, of compositions based on the eutectic mixture of lignocaine and prilocaine (EMLA), EVERS, H., *et al.* 997
Dextran, or fluorocarbons, oxygen tensions in the ischaemic myocardium following haemodilution with, FAITHFULL, N. S., *et al.*, (*ARS*) 816P
Diamorphine, intrathecal, effect on the adrenocortical, hyperglycaemic and cardiovascular responses to major colonic surgery, CHILD, C. S., *et al.* 389
Diaphragm movement, on induction of anaesthesia, LOGAN, M. R., *et al.*, (*ARS*) 348P
Diaphragmatic position, and pulmonary gas exchange. *Effect of tonic phrenic stimulation compared with that of increased airway pressure*, HENEGHAN, C. P. H., *et al.* 1161
Diazepam, and midazolam, pharmacokinetics when used for sedation following cardiopulmonary bypass, LOWRY, K. G., *et al.* 883
——, and placebo, a double-blind comparison for premedication before day surgery, JAKOBSEN, H., *et al.* 300

Diazepam, compared with chlormethiazole for efficacy as i.v. sedatives for supplementation of extradural anaesthesia, SEOW, L. T., *et al.* 747
——, compared with midazolam and placebo i.m. as premedication for regional anaesthesia. *A randomized double-blind study*, REINHART, K., *et al.* 294
——, compared with midazolam for sedation during local anaesthesia for bronchoscopy, KORTTILA, K., *et al.* 581
——, effect on drug absorption and gastric emptying in man, ADELHØJ, B., *et al.* 1107
——, effects of rectal administration. *Diazepam concentrations in children undergoing general anaesthesia*, SONADER, H., *et al.* 581
——, i.v., or midazolam, for minor oral surgery, assessment of psychomotor performance following, BOSCOE, M. J., *et al.*, (*ARS*) 350P
Difficult intubation, COSSHAM, P. S., (*C*) 239
Dihydrocodeine, zomepirac and placebo compared in postoperative pain after day-case surgery. *The relationship between the effects of single and multiple doses*, MCQUAY, H. J., *et al.* 412
Dihydroergotamine, in the prevention of hypotension associated with extradural anaesthesia, MATTILA, M., *et al.* 976
Diltiazem, and isoflurane, interactions. *An* in vitro *investigation in isolated guineapig atria*, BROADBENT, M. P., *et al.* 1018
——, inhibits halothane-induced contractions in malignant hyperthermia-susceptible muscles *in vitro*, ILIAS, W. K., *et al.* 994
Divided doses, attempted acceleration of the onset of action of pancuronium by administration in divided doses in infants and children, BEVAN, J. G., *et al.* 1204
Dog, effects of enflurane on myocardial ischaemia in the, ACKERN, K. VAN, *et al.* 497
Droperidol, extradural, potentiates extradural opioids, BACH, V., *et al.*, (*C*) 238
Drug absorption, and gastric emptying in man, effect of diazepam, ADELHØJ, B., *et al.* 1107
Drug therapy, in brain ischaemia, GISVOLD, S. E., *et al.* 96
Drugs in Anaesthetic Practice, VICKERS, M. D., *et al.*, (editors), (*R*) 458
Duromorph, for postoperative analgesia, CHARWAY, C. L., *et al.* 949
Dystrophia myotonica, and atracurium. *A Case Report*, NIGHTINGALE, P., *et al.* 1131

Edrophonium, antagonism of the muscarinic effects with atropine of glycopyrrolate. *A comparative study*, MIRAKHUR, R. K. 1213
EEG changes, during carotid endarterectomy: drug effect and embolism, GRUNDY, B. L., *et al.* 445
EEG monitoring, and evoked potentials in brain ischaemia, PRIOR, P. F. 63
Electrical activity, during induced hypotension, ROIZEN, M. F., (*C*) 1267; COLE, P. V., (*C*) 1267
Electroconvulsive therapy, (ECT), and short acting neuromuscular blockers, DODSON, M. E., (*C*) 933
Electroencephalographic discharges, paroxysmal, during enflurane anaesthesia in patients with a history of cerebral convulsions, YAMASHIRO, M., *et al.* 1029
EMLA cream, a eutectic mixture of lignocaine and prilocaine, dermal effects, EVERS, H., *et al.* 997
Endotoxin-induced lung injury, in the rat, effect of human monoclonal IgM antibodies, FEELEY, T. W., *et al.*, (*ARS*) 826P
Endotracheal intubation, effect of i.v. induction regimens with alcuronium and atracurium, BALI, I. M., *et al.*, (*ARS*) 830P
Endotracheal laser surgery, pneumopericardium, an unusual complication, VOURC'H, G., *et al.* 451
End-tidal carbon dioxide, concentrations, as an indicator of pulmonary blood flow during closed heart surgery in children. *A report of two cases*, SCHULLER, J. L., *et al.* 1257
Enflurane, anaesthesia, paroxysmal electroencephalographic discharges during, in patients with a history of cerebral convulsions, YAMASHIRO, M., *et al.* 1029
——, compared with halothane and isoflurane. Cardiac rate and rhythm during anaesthesia for dental extraction, CASSON, W. R., *et al.* 476
——, effects on myocardial ischaemia in the dog. ACKERN, K. VAN, *et al.* 497
Enuresis, and spinal morphine, CARDAN, E., (*C*) 354
Enzyme inhibition, by steroid anaesthetic agents derived from progesterone, BANKS, P., *et al.* 512
"Esophageal Gastric Tube Airway", (EGTA), a potential hazard, CORKE, C. F., *et al.*, (*C*) 930
Ethanol, effects on psychomotor performance, SCOTT, D. B., *et al.*, (*ARS*) 339P
Etomidate, and adrenocortical synthesis in man, BYRNE, A. J., *et al.*, (*C*) 1264; DUTHIE, D., *et al.*, (*C*) 1266; FASSOULAKI, A., (*C*) 1264; SEAR, J., (*C*) 1265
——, and Althesin compared in the reduction of increased intracranial pressure after head injury, DEARDEN, N. M., *et al.* 361
——, and ketamine, porphyrinogenicity, as continuous infusions. *Screening in the DDC-primed rat model*, HARRISON, G. G., *et al.* 420
——, effect on the auditory evoked response in man, THORNTON, C., *et al.* 554
——, effects on cerebral perfusion pressure in traumatic coma influenced by cerebral electrical activity, BINGHAM, R. M., *et al.* 843
——, ICI 35868 and methohexitone compared for day-case anaesthesia, WELLS, J. K. G. 732
——, propofol and thiopentone, effects on adrenal steroidogenesis *in vitro*, LAMBERT, A., *et al.* 505
——, thiopentone and propofol, effects on cortisol synthesis, KENYON, C. J., *et al.* 509
Etomidate induction, effect on corticosteroid synthesis in man, DUTHIE, D. J. R., *et al.* 156
Evoked compound action potential, (ECAP), of the adductor pollicis, effects of atracurium and vecuronium on the depolarization phase, PUGH, N. D., *et al.*, (*ARS*) 830P
Evoked potentials, and EEG monitoring in brain ischaemia, PRIOR, P. F. 63
——, during isoflurane anaesthesia, SEBEL, P. S., *et al.*, (*ARS*) 340P
Evoked responses, a neurophysiological indicator of depth of anaesthesia?, SEBEL, P. S., *et al.*, (*E*) 841
Extradural anaesthesia, comparison of the efficacy of chlormethiazole and diazepam as i.v. sedatives for supplementation of, SEOW, L. T., *et al.* 747
——, dihydroergotamine in the prevention of hypotension associated with, MATTILA, M., *et al.* 976
——, in the management of singleton breech delivery, CONFINO, E., *et al.* 892
Extradural blockade, with mixtures of fentanyl and bupivacaine, RUCCI, F. S., *et al.* 275
Extradural blood flow, measurement in the rabbit. A preliminary study, PONTE, J., *et al.*, (*ARS*) 815P
Extradural blood patch, why delay?, QUAYNOR, H., *et al.* 538
Extradural catheters, fixation, CAMPAILLA, A., (*C*) 1043
Extradural infusion, continuous, of 0.0625% or 0.125% bupivacaine for pain relief in primigravid labour, LI, D. F., *et al.* 264
Extradural morphine, postoperative effects on ADH secretion, KORINEK, A. M., *et al.* 407
Extradural space, metastatic carcinoma in the, PEDERSEN, J., *et al.*, (*C*) 935

Fast duration, before effective surgery, SOSIS, M., *et al.*, (*C*) 1038

Fazadinium, metocurine, atracurium and vecuronium, cross-reactivity with IgE antibodies from patients unexposed to these drugs but allergic to other myoneural blocking drugs, HARLE, D. G., *et al.* 1073
Fentanyl, analgesic effect is prolonged by baclofen, PANERAI, A. E., *et al.* 954
——, and alfentanil pretreatment, influence on the action of midazolam, HALLIDAY, N. J., *et al.*, (*ARS*) 315P
——, and bupivacaine mixtures for extradural blockade, RUCCI, F. S., *et al.* 275
——, and buprenorphine clinical actions. The significance of receptor binding, BOAS, R. A., *et al.* 192
——, an open comparison of patient-controlled on-demand fentanyl delivered either extradurally or i.v., WELCHEW, E. A., (*ARS*) 346P
——, by constant rate i.v. infusion for postoperative analgesia, NIMMO, W. S., *et al.* 250
——, lofentanil and alfentanil, pH-dependent accumulation by beating guineapig atria, LÜLLMAN, H., *et al.* 1012
Fentanyl–oxygen, high-dose, comparison with high-dose sufentanil–oxygen for neuroanaesthesia, SHUPAK, R. C., *et al.* 375
Fertility, in *Drosophila melanogaster*, inhaled anaesthetics have no effect, KUNDOMAL, Y. R., *et al.* 900
Flow thresholds, in brain ischaemia and the effects of drugs, SYMON, L. 34
Fluorocarbons, or dextran, oxygen tensions in the ischaemic myocardium following haemodilution with, FAITHFULL, N. S., *et al.*, (*ARS*) 816P
Fractured hip, anaesthesia for, MOON, R., (*C*) 541
Future Anesthesia Delivery Systems, BROWN, B. R. jr, (editor), (*R*) 453

Gallamine, recovery of respiration after neuromuscular block by, PITT, G. M., *et al.*, (*ARS*) 831P
Gas exchange, during anaesthesia in children with abnormal pulmonary circulation, FLETCHER, R., (*ARS*) 817P
Gastric emptying, abstaining from cigarette smoking has no major effect on gastric emptying in habitual smokers, PETRING, O. U., *et al.* 1104
——, and drug absorption in man, effect of diazepam, ADELHØJ, B., *et al.* 1107
——, and paracetamol kinetics, FINNEGAN, B. A., *et al.*, (*C*) 1039
Gastric pH and volume, effect of preoperative feeding in children, MEAKIN, G., *et al.*, (*ARS*) 832P
General anaesthesia, cognitive effects in young and elderly patients, SMITH, R. J., *et al.*, (*ARS*) 352P
——, compared with subarachnoid anaesthesia, effects on deep vein thrombosis, MCKENZIE, P. J., *et al.* 853
Glycopyrrolate, and atropine, comparison of the effects on cognitive function following general anaesthesia, SIMPSON, K. H., *et al.* (*ARS*) 821P
——, compared with atropine in a mixture with neostigmine for reversal of neuromuscular blockade. *Studies in patients following open heart surgery*, SALEM, M. G., *et al.* 184
——, compared with atropine. Pattern of CNS recovery following reversal of neuromuscular blockade, SHEREF, S. E. 188
——, or atropine, comparison of the ocular effects with two i.v. induction agents, GREENAN, J., *et al.* 180
——, or atropine to antagonize the muscarinic effects of edrophonium, MIRAKHUR, R. K. 1213
Gynaecological laparoscopy, LAMBERTY, J. M., (*C*) 718
Gynaecological surgery, ventricular arrhythmias and adrenaline infiltration during, CUNNINGHAM, A. J., (*C*) 936

Haemorrhage, decreases the anaesthetic requirement for ketamine and thiopentone in the pig, WEISKOPF, R. P., *et al.* 1022
Halothane, anaesthesia for a comparison of atracurium and alcuronium by measurement of the train-of-four response of the adductor pollicis muscle and clinical observation, LIN, L. P. S., *et al.* 1067
——, anaesthesia in children, changes in ventilatory patterns, MURAT, I., *et al.* 569
——, anaesthesia, lower oesophageal contractility (LOC) during halothane anaesthesia, EVANS, J. M., (*ARS*) 815P
——, anaesthesia, rapid induction in man, RUFFLE, J. M., *et al.* 607
——, and nitrous oxide effect on human natural killer lymphocyte activity, KAMATH, M. B., *et al.*, (*ARS*) 823P
——, cardiovascular response to tracheal intubation in small children, effects of induction of anaesthesia with halothane, LUNDGREN, L., *et al.* 1183
——, compared with enflurane and isoflurane cardiac rate and rhythm during anaesthesia for dental extraction, CASSON, W. R., *et al.* 476
——, compared with isoflurane in paediatric outpatient dental anaesthesia, MCATEER, P. M., *et al.*, (*ARS*) 826P
——, effect on spinal somatosensory evoked potentials in sheep, BAINES, D. B., *et al.* 896
——, isoflurane or subarachnoid anaesthesia, effects on sister chromatid exchanges in cigarette smokers, HUSUM, B., *et al.* 1100
——, myocardial function when nitrous oxide is added in the presence of critical coronary artery constriction, RAMSAY, J. G., *et al.*, (*ARS*) 817P
——, or alfentanil-supplemented anaesthesia for outpatient termination of pregnancy, COLLINS, K. M., *et al.* 1226
——, (or isoflurane), determination of the partial pressure in blood, ZBINDEN, A. M., *et al.* 796
——, piracetam does not change the anaesthetic requirement for, FASSOULAKI, A., *et al.* 1110
Head injury, and brain ischaemia—implications for therapy, MILLER, J. D. 120
Heart transplant, anaesthesia for surgery in patients with a transplanted heart, BRICKER, S. R. W., *et al.* 634
Hepatic uptake, of vecuronium bromide and its putative metabolites, effects on their neuromuscular blocking actions in the cat, BENCINI, A. F., *et al.* 789
High-frequency jet ventilation, deadspace and carbon dioxide clearance from a lung model during, MORTIMER, A. J., *et al.*, (*ARS*) 819P
High-frequency ventilation, and vagal afferent activity, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 819P
Histamine, probable liberation with atracurium. *A Case Report*, LAVERY, G. G., *et al.* 811
Histamine release, atracurium, and clinical strategies for preventing histamine release and attenuating the haemodynamic response, SCOTT, R. P. F., *et al.* 550
Hudson masks, and Mary Catterrall masks, measurement of tracheal concentrations of oxygen and nitrous oxide, SELLERS, W. F. S., *et al.*, (*ARS*) 831P
Huntington's chorea, a role for the newer anaesthetic agents, JOHNSON, M. K., *et al.*, (*C*) 235
Hyoscine, and atropine, comparison of the cognitive effects of premedication, ANDERSON, S., *et al.* 169
Hyoscine methobromide, and atropine, chronotropic and dromotropic effects in unaesthetized dogs, KANTELIP, J. P., *et al.* 214
Hyperpyrexia, malignant, microcalorimetric studies in susceptible individuals, RANKLEV, E., *et al.* 991
——, malignant, thermoregulatory responses to cooling in patients susceptible to, AYLING, J. H., *et al.* 983
Hypertension, postoperative, following cardiopulmonary bypass, and ketanserin, ANGER, C., *et al.*, (*ARS*) 339P

Hyperthermia, malignant, diltiazem inhibits halothane-induced contractions in malignant hyperthermia-susceptible muscles *in vitro*, ILIAS, W. K., *et al.* 994
Hypoglycaemia, in children undergoing outpatient procedures, HARPIN, R. P., (*C*) 934
Hypotension, associated with extradural anaesthesia, dihydroergotamine in the prevention of, MATTILA, M., *et al.* 976
——, induced, and brain ischaemia, MCDOWALL, D. G. 110
——, induced, and electrical activity, ROIZEN, M. F., (*C*) 1267
——, induced, electrical activity of the cerebral cortex during. *A comparison of sodium nitroprusside and trimetaphan*, THOMAS, W. A., *et al.* 134
——, induced, in man, electrical activity of cerebral cortex during: a comparison of sodium nitroprusside and trimetaphan, THOMAS, W. A., *et al.*, (*ARS*) 337P
Hypothermia, postoperative, factors affecting rewarming, CARLI, F., *et al.*, (*ARS*) 820P
Hypoxic ventilatory drive, in the dog under Althesin anaesthesia, JONES, R. S., (*C*) 356

ICI 35868, etomidate and methohexitone compared for day-case anaesthesia, WELLS, J. K. G. 732
——, pharmacology of an emulsion formulation, RUYS, A. H. C., *et al.*, (*C*) 835
——, (propofol), an emulsion formulation for the induction and maintenance of anaesthesia, KAY, N. H., *et al.* 736
Induced hypotension, and brain ischaemia, MCDOWALL, D. G. 110
——, electrical activity during, ROIZEN, M. F., (*C*) 1267; COLE, P. V., (*C*) 1267
Induction of anaesthesia, changes in thoraco–abdominal volume during, MCFARLANE, H., (*ARS*) 818P
Infants and children, effects of divided doses of pancuronium. Attempted acceleration of the onset of action, BEVAN, J. C., *et al.* 1204
Infusion thromophlebitis, LEWIS, G. B. H., *et al.* 220
Inhalation Anaesthesiology. Clinics in Anaesthesiology, MAZZE, R. I., (editor), (*R*) 939
Inhaled anaesthetics, have no effect on fertility in *Drosophila melanogaster*, KUNDOMAL, Y. R., *et al.* 900
Injection speed, effect on induction of anaesthesia using propofol, ROLLY, G., *et al.* 743
Inspired oxygen concentration, relationship with venous admixture during nitrous oxide–oxygen–halothane anaesthesia, KERR, J. H., *et al.* 1150
Intensive Care, GERSON, G., (editor), (*R*) 1140
Intercostal blockade, MOORE, D. C., (*C*) 543
Intermittent positive pressure ventilation, combined with continuous flow ventilation, PERL, A., *et al.* (*ARS*) 824P
Intracranial pressure, increased after head injury, comparison of etomidate and Althesin in the reduction of, DEARDEN, N. M., *et al.* 361
Intraoperative blood loss, the effect of ephedrine. Subarachnoid blockade and total hip replacement, THORBURN, J. 290
Intraoperative conversation, non-verbal response to, BENNETT, H. L., *et al.* 174
Intrathecal diamorphine, effect on the adrenocortical, hyperglycaemic and cardiovascular responses to major colonic surgery, CHILD, C. S., *et al.* 394
Intrathecal ketamine, in rats, BROCK-UTNE, J. G., *et al.*, (*C*) 837
Intrathecal morphine, and multiple fractured ribs, KENNEDY, B. M., (*C*) 1266
Intubation, blind nasotracheal, guided by an image intensifer, GONCALVES, F., *et al.*, (*C*) 240
——, difficult, COSSHAM, P. S., (*C*) 239
——, effect of "priming" after vecuronium. A pilot study, CLARKE, R. S. J., *et al.*, (*ARS*) 827P
——, tactile orotracheal GREGOIRE, Y., *et al.*, (*C*) 356

Ionic changes, in brain ischaemia and alterations produced by drugs, HEUSER, D., *et al.* 23
Ischaemic brain damage, the role of excitatory activity and of calcium entry, MELDRUM, B., *et al.* 44
Ischaemic myocardium, oxygen tensions following haemodilution with fluorocarbons or dextran, FAITHFULL, N. S., *et al.*, (*ARS*) 816P
Isoflurane, anaesthesia, evoked potentials during, SEBEL, P. S., *et al.*, (*ARS*) 340P
——, and diltiazem, interactions. An *in vitro* investigation in isolated guineapig atria, BROADBENT, M. P., *et al.* 1018
——, as a routine anaesthetic in general surgical practice, NUNN, J. F. 461
——, compared with halothane and enflurane. Cardiac rate and rhythm during anaesthesia for dental extraction, CASSON, W. R., *et al.* 476
——, effects of the auditory evoked responses in man, NAVARATNARAJAH, M., *et al.*, (*ARS*) 352P
——, halothane or subarachnoid anaesthesia, effects on sister chromatid exchanges in cigarette smokers HUSUM, B., *et al.* 1100
——, in paediatric outpatient dental anaesthesia. A comparison with halothane, MCATEER, P. M., *et al.*, (*ARS*) 826P
——, (or halothane), determination of partial pressure in blood, ZBINDEN, A. M., *et al.* 796
I.v. sedatives, comparison of the efficacy of chlormethiazole and diazepam for supplementation of extradural anaesthesia, SEOW, L. T., *et al.* 747

Jet ventilation, using high of low frequencies, during bronchoscopy, FISCHLER, M., *et al.* 382
"Junctional rhythms", observations during anaesthesia PRYS-ROBERTS, C., (*C*) 356

Ketamine, and etomidate, porphyrinogenicity, as continuous infusions. Screening in the DDC-primed rat model, HARRISON, G. G., *et al.* 420
——, and thiopentone, haemorrhage decreases the anaesthetic requirement for, in the pig, WEISKOPF, R. B., *et al.* 1022
——, i.v., effect of naloxone on loss of consciousness induced by, AMIOT, J. F., *et al.* 930
Ketamine isomers, comparative pharmacology. *Studies in volunteers*, WHITE, P. F., *et al.* 197
Ketanserin, and postoperative hypertension following cardiopulmonary bypass, ANGER, C., *et al.*, (*ARS*) 339P

Labour, oral ranitidine in, MACNAB, M. S. P., *et al.*, (*C*) 1041
Laparoscopic sterilization, vecuronium bromide anaesthesia for, CALDWELL, J. E., *et al.* 765
Laparoscopy, safe anaesthetic for patients with spontaneous respiration, BEILIN, B., *et al.*, (*C*) 1042
Laryngotracheal injuries, management of blunt trauma to the cervical portion of the trachea, THOMPSON, J. N., *et al.*, (*C*) 236
Laudanosine, excretion in man, effect of renal failure, FAHEY, M. R., *et al.* 1049
Leicester Micropalliator, compared with Cardiff Palliator in the relief of postoperative pain, VICKERS, A., *et al.*, (*ARS*) 820P
Lignocaine, and prilocaine, dermal effects of a eutectic mixture, (EMLA), EVERS, H. 997
——, bupivacaine or 2-chloroprocaine, neurological toxicity of the subarachnoid infusion in the rat, LI, D. F., *et al.* 424
——, concentrations after 5% lignocaine ointment to the trachea, SELLERS, W. F. S., *et al.*, (*ARS*) 341P
Lignocaine–prilocaine, cream, clinical study to relieve the pain of venepuncture, HALLÉN, B., *et al.* 326

Liver dysfunction, use of different doses of vecuronium, HUNTER, J. M., *et al.* 758
Local anaesthetic drug, choice for extradural Caesarean section, MCCLURE, J. H., *et al.*, (*C*) 931
Local anaesthetics, amide and ester, comparison of the vasoactivity. *An intradermal study*, WILLATTS, D. G., *et al.* 1006
——, and morphine, effects of extradural administration on the urinary excretion of cortisol, catecholamines and nitrogen following abdominal surgery, HJORTSØ, N.-C., *et al.* 400
——, amino-ester, differential nerve blocking activity, WILDSMITH, J. A. W., *et al.* 612
Lofentanil, buprenorphine or saline, efficacy of the extradural administration in the management of postoperative pain. *A double-blind study*, BILSACK, P., *et al.* 943
——, fentanyl and alfentanil, pH-dependent accumulation by beating guineapig atria, LÜLLMANN, H., *et al.* 1012
Lorazepam, excretion into breast milk, SUMMERFIELD, R. J., *et al.*, (*C*) 1042
Lower oesophageal contractility (LOC), during halothane anaesthesia, EVANS, J. M., (*ARS*) 815P
Lower oesophageal sphincter, evaluation of the combined effects of atropine and neostigmine, TURNER, D. A. B., *et al.* 956
Lumbar extradural space, resin injection studies, HARRISON, G. R., *et al.* 333
Lumbar sympathectomy, chemical, quantitative assessment of the effectiveness, MCCOLLUM, P. T., *et al.* 1146
Lung model, effect of a mixture of pyridostigmine and atropine, and serum cholinesterase in normal subjects, FEDLT-RASMUSSEN, B. F., *et al.* 204
——, to demonstrate deadspace and carbon dioxide clearance during high-frequency jet ventilation, MORTIMER, A. J., *et al.*, (*ARS*) 819P

Magnesium sulphate, failure to prevent suxamethonium-induced muscle pain, CHESTNUTT, W. N., *et al.*, (*ARS*) 351P
Malignant hyperpyrexia susceptibility, exercise and cyclic AMP, CAMPBELL, I. T., (*C*) 837
——, (MHS) laboratory diagnosis, EUROPEAN MH GROUP, (*C*) 1038
Manual of Pediatric Anesthesia (2nd Edn), STEWARD, D. J., (*R*) 1047
Manual of Preoperative and Postoperative Care, DUDRICK, *et al.*, (*R*) 455
Mary Catterrall (MC) masks, and Hudson masks, tracheal concentrations of oxygen and nitrous oxide using SELLARS, W. F. S., *et al.*, (*ARS*) 831P
Maternal and neonatal responses, related to the volatile agent used to maintain anaesthesia at Caesarean section, CRAWFORD, J. S., *et al.* 482
Medical gas delivery systems, BOADEN, R. W., (*C*) 242
Meptazinol, a cause of respiratory depression in general anaesthesia, WILKINSON, D. J., *et al.* 1077
——, acupuncture for relief of vomiting induced by, CHESTNUTT, W. N., *et al.*, (*ARS*) 825P
——, effect on neuromuscular transmission in the isolated rat phrenic nerve–diaphragm preparation, STRAHAN, S. K., *et al.* 1095
——, extradural, for postoperative analgesia: an open dose-finding study, RAO, U., *et al.*, (*ARS*) 814P
Metastatic carcinoma, in the extradural space, PEDERSEN, J., *et al*, (*C*) 935
Met-enkaphalin-like immunoreactivity or β-endorphin, nitrous oxide inhalation does not influence plasma concentrations of, EVANS, S. F., *et al.* 624
Methionine plasma concentrations, during elective surgery and nitrous oxide anaesthesia, NUNN, J. F., *et al.*, (*ARS*) 342P
Methohexitone, and propofol, comparison of infusions to provide light general anaesthesia during surgery with regional blockade, JESSOP, E., *et al.* 1173
——, and thiopentone compared with the new emulsion formulation of propofol for inducing anaesthesia in day cases, MACKENZIE, N., *et al.* 725
——, compared with propofol in the provision of anaesthesia for surgery under regional blockade, MACKENZIE, N., *et al.* 1167
——, ICI 35868 and etomidate compared for day case anaesthesia 732
——, rectal induction of anaesthesia in children. *Patient acceptability and clinical pharmacokinetics*, QUAYNOR, H., *et al.* 573
Metocurine, atracurium, vecuronium and fazadinium, cross-reactivity with IgE antibodies from patients unexposed to these drugs but allergic to other myoneural blocking drugs, HARLE, D. G., *et al.* 1073
——, pancuronium, atracurium and vecuronium, direct measurement of intra-ocular pressure in dogs during neuromuscular blockade, EARNSHAW, G., *et al.*, (*ARS*) 344P
Microcalorimetry, studies in malignant hyperpyrexia susceptible individuals, RANKLEV, E., *et al.* 991
Microvascular surgery, anaesthesia for. *A physiological approach*, MACDONALD, D. J. F. 904
Midazolam, aberrant elimination half-life, CARLISLE, R. J. T., *et al.*, (*ARS*) 834P
——, and diazepam, pharmacokinetics when used for sedation following cardiopulmonary bypass, LOWRY, K. G., *et al.* 883
——, changing plasma concentrations compared with changes in the Cerebral Function Analysing Monitor output, LALOR, J. M., *et al.*, (*ARS*) 833P
——, compared with diazepam and placebo i.m. as premedication for regional anaesthesia. *A randomized, double-blind study*, REINHART, K. *et al.* 294
——, compared with diazepam for sedation during local anaesthesia for bronchoscopy, KORTTILA, K., *et al.* 581
——, influence of age and nature of operation on pharmacokinetics, HARPER, K. W., *et al.* 866
——, influence of fentanyl and alfentanil pretreatment on the action of, HALIDAY, N. J., *et al.*, (*ARS*) 351P
——, in neurosurgery: concentrations in peripheral blood, cerebrospinal fluid and brain, BOSCOE, M. J., *et al.*, (*ARS*) 834P
——, interaction with vecuronium and tubocurarine in the rat *in vivo* sciatic nerve–tibialis anterior muscle preparation, DRIESSEN, J. J., *et al.* 1089
——, i.v., or diazepam, for minor oral surgery, assessment of psychomotor performance following, BOSCOE, M. J., *et al.*, (*ARS*) 350P
Monitoring oxygenation, during anaesthesia, "He looks a little blue down this end", HANNING, C. D., (*E*) 359
Monoclonal IgM antibodies, effect on endotoxin-induced lung injury in the rat, FEELEY, T. W., *et al.*, (*ARS*) 826P
Morphine, and local anaesthetic agents, effects of the extradural administration on the urinary excretion of cortisol, catecholamines and nitrogen following abdominal surgery, HJORTSØ, N.-C., *et al.* 400
——, and lysine acetyl salicylate, comparisons of infusions for the relief of pain after surgery, CASHMAN, J. N., *et al.* 255
——, and lysine acetyl salicylate, comparison of infusions for the relief of pain after thoracic surgery, JONES, R. M., *et al.* 259
——, i.m., and continuous intercostal nerve blockade, continuous trial after cholecystectomy, POLLOK, A. J. P., *et al.*, (*ARS*) 824P
——, i.m., compared with morphine sulphate slow release for postoperative analgesia, DERBYSHIRE, D. R., *et al.* 858

Morphine, intrathecal, and multiple fractured ribs, KENNEDY, B. M., (*C*) 1266
——, or bupivacaine, effects of extradural administration on the metabolic response to upper abdominal surgery, HÅKANSON, E., *et al.* 364
——, pethidine and pentazocine, actions on the oestrus and pregnant rat uterus *in vitro*, SIVALINGHAM, T., *et al.* 430
——, postoperative extradural, effects on ADH secretion, KORINEK, A. M., *et al.* 407
——, sustained release oral, in cardiac surgery, MCSHANE, A. J., *et al.*, (*ARS*) 247P
Morphine sulphate, slow release compared with i.m. morphine for postoperative analgesia, DERBYSHIRE, D. R., *et al.* 858
Mortality in Anaesthesia, VICKERS, M. D., *et al.*, (editors), (*R*) 939
Motor blockade, in the lower limbs, a double-blind study, AXELSSON, K. H., *et al.* 960
Multi-site hypothesis, of general anaesthesia. Mixtures of inhalation and intravenous anaesthetics at high pressure, WARDLEY-SMITH, B., *et al.* 1248
Muscle proteolysis, and body temperature changes associated with major abdominal surgery in elderly patients, CARLI, F., *et al.*, (*ARS*) 350P
Myocardial dysfunction, regional, induced by the association verapamil–isoflurane, VIDECOQ, M., *et al.*, (*ARS*) 825P
Myocardial function, when nitrous oxide is added to halothane in the presence of critical coronary artery constriction, RAMSAY, J. G., *et al.*, (*ARS*) 817P
Myocardial ischaemia, effects of enflurane, in the dog, ACKERN, K. VAN, *et al.* 497
Myotonic dystrophy, anaesthetic problems. *A case report and review of the Aberdeen experience comprising 48 general anaesthetics in a further 16 patients*, ALDRIDGE, L. M. 1119

Naloxone, a strong analgesic in combination with high-dose buprenorphine?, PEDERSEN, J. E., *et al.*, (*C*) 1045
——, effect on loss of consciousness induced i.v. by ketamine, AMIOT, J. F., *et al.*, (*C*) 930
——, paradox or panacea, PINNOCK, C. A. *et al.*, (*E*) 547
Nasotracheal intubation, blind, guided by an image intensifer, GONCALVES, F., *et al.*, (*C*) 240
——, paranasal sinusitis, a complication. *Two case reports*, WILLATTS, S. M., *et al.* 1026
Natural killer (NK) lymphocyte activity, effect of halothane and nitrous oxide on, KAMATH, M. B., *et al.*, (*ARS*) 823P
Neostigmine, and atropine, evaluation of the combined effects on the lower oesophageal sphincter, TURNER, D. A. B., *et al.* 956
——, and atropine, respiratory problems in dogs, HAIL, L. W., *et al.*, (*C*) 1046
Nerve blocking activity, differential, of amino-ester local anaesthetics, WILDSMITH, J. A. W., *et al.* 612
Neural Mechanisms of Pain Advances in Pain Research and Therapy: Vol. 6, KRUGER, L., *et al.*, (editors), (*R*) 453
Neuroanaesthesia, use of a continuous infusion of Althesin. *Changes in cerebral blood flow, cerebral metabolism, the EEG and plasma alphaxalone concentration*, BENDTSEN, A., *et al.* 369
Neurological toxicity, of the subarachnoid infusion of bupivacaine, lignocaine or 2-chloroprocaine in the rat, LI, D. F., *et al.* 424
Neuromuscular block, by gallamine, recovery of respiration after, PITT, G. M., *et al.*, (*ARS*) 831P
Neuromuscular blockade, antagonism of, MILLAR, S. W., *et al.*, (*C*) 1043
——, prolonged, following vecuronium. *A Case Report*, SHANKS, A. B., *et al.* 807
——, vecuronium-induced, influence of dose on onset times, JONES, R. M., *et al.*, (*ARS*) 828P
Neuromuscular blockers, short acting, and ECT, DODSON, M. E., (*C*) 933
Neuromuscular transmission, effect of meptazinol, in the isolated rat phrenic nerve–diaphragm preparation, STRAHAN, S. K., *et al.* 1095
Neurosurgery, and midazolam: concentrations in peripheral blood, cerebrospinal fluid and brain, BOSCOE, M. J., *et al.*, (*ARS*) 834P
Nitroglycerine, to produce controlled decreases in mean arterial pressure to less than 50 mm Hg, GUGGIARI, M., *et al.* 142
Nitrous oxide, added to halothane, myocardial function in the presence of critical coronary artery constriction, RAMSAY, J. G., *et al.*, (*ARS*) 817P
——, and halothane, effect of human killer lymphocyte activity, KAMATH, M. B., *et al.*, (*ARS*) 823P
——, and wound healing, ALGIE, T. A., *et al.* 621
——, bone marrow changes after chronic inhalation of, BINGHAM, R. M., *et al.*, (*ARS*) 342P
——, concentrations delivered by oxygen face masks supplied with a nitrous oxide–oxygen mixture, SHANKS, A. B., *et al.*, (*ARS*) 832P
——, inhalation does not influence plasma concentrations of β-endorphin or met-enkaphalin-like immunoreactivity, EVANS, S. F., *et al.* 624
——, on cortical somatosensory evoked potentials, SLOAN, T. B., *et al.* 849
Nitrous oxide anaesthesia, and plasma methionine concentrations during elective surgery, NUNN, J. F., *et al.*, (*ARS*) 342P
Nitrous oxide–oxygen–halothane anaesthesia, relationship between inspired oxygen concentration and venous admixture during, KERR, J. H., *et al.* 1150
——, ventilatory responses to carbon dioxide in children during, MURAT, I., *et al.*, 1197
Non-verbal response, to intraoperative conversation, BENNETT, H. L., *et al.* 174
Nursing the Patient in Pain, MCCAFFERY, M., (*R*) 458

Ocular effects, comparison of atropine or glycopyrrolate with two i.v. induction agents, GREENAN, J., *et al.* 180
Oculocardiac reflex, during strabismus surgery in children, comparison of four non-depolarizing neuromuscular blocking drugs in the suppression of, KARHUNEN, U., *et al.* 1209
Oesophageal varices, use of atracurium and vecuronium in patients with, BELL, C. F., *et al.* 160
Onset and fade characteristics, following administration of pancuronium, tubocurarine and a mixture of both agents, CASHMAN, J. N., *et al.* 488
Open heart surgery, continuous monitoring of blood glucose concentration during, MCKNIGHT, C. K., *et al.* 595
Opioid receptor binding, and its significance, LITARCZEK, C., (*C*) 1269; HULL, C. J., (*C*) 1269
Orotracheal intubation, tactile, GREGOIRE, Y., *et al.*, (*C*) 356
Outpatient dental anaesthesia, hypoglycaemia in children, HARPIN, R. P., (*C*) 934
Oxygen, and nitrous oxide, tracheal concentrations using Hudson and Mary Catterrall (MC) masks, SELLERS, W. F. S., *et al.*, (*ARS*) 831P
Oxygen face masks, nitrous oxide concentrations delivered by oxygen face masks supplied with a nitrous oxide–oxygen mixture, SHANKS, A. B., *et al.*, (*ARS*) 832P
Oxygen tensions in the ischaemic myocardium following haemodilution with fluorocarbons or dextran, FAITHFULL, N. S., *et al.* 816P

Paediatric anaesthetic equipment, HATCH, D. J. 672
Pain. (Proceedings of Joint Meeting of the European Chapters of the International Association for the Study

of Pain, Abano Terme, May 1983), RIZZI, R., *et al.*, (editors), (*R*) 1142
Pain data, an investigation into the sources of variability, CHALLEN, K. B., *et al.*, (*ARS*) 346P
Pancuronium, and atracurium, a comparison of neuromuscular recovery following blockade by, BURCHETT, K., *et al.*, (*ARS*) 338P
——, atracurium and vecuronium, neuromuscular blocking effects during bolus and infusion administration, GRAMSTAD, L., *et al.* 1052
——, attempted acceleration of the onset of action. *Effects of divided doses in infants and children*, BEVAN, J. C., *et al.* 1204
——, compared with tubocurarine, alcuronium and vecuronium in the suppression of the oculocardiac reflex during strabismus surgery in children, KARHUNEN, U., *et al.* 1209
——, cutaneous reaction to, NORENG, M. F. (*C*) 1269
——, metocurine, atracurium and vecuronium, direct measurement of intra-ocular pressure on dogs during neuromuscular blockade, EARNSHAW, G., *et al.*, (*ARS*) 344P
——, tubocurarine and a mixture of both agents, fade characteristics and onset times, CASHMAN, J. N., *et al.* 488
——, tubocurarine and atropine, influence on bronchomotor tone, SIMPSON, D. A., *et al.* 753
——, tubocurarine, or a mixture of both agents, latent and manifest onset characteristics after administering, CASHMAN, J. N., *et al*, (*ARS*) 338P
Pancuronium bromide, and vecuronium bromide, interaction between, RASHKOVSKY, O. M., *et al.* 1063
Paracetamol kinetics, and gastric emptying, FINNEGAN, B. A., *et al.*, (*C*) 1039
Paranasal sinusitis, a complication of nasotracheal intubation. *Two case reports*, WILLATTS, S. M., *et al.* 1026
Parturition, in rats, effects of spinal blockade with bupivacaine, LI, D. F., *et al.* 515
Pediatric Anesthesia, Vols. I and II, GREGORY, G. A., (editor), (*R*) 455
Pentazocine, morphine and pethidine, actions on the oestrus and pregnant rat uterus *in vitro*, SIVALINGHAM, T., *et al.* 430
Pethidine, morphine and pentazocine, actions on the oestrus and pregnant rat uterus *in vitro*, SIVALINGHAM, T., *et al.* 430
Phagocytic cells, impaired metabolic activity after anaesthesia and surgery, BARDOSI, L., *et al.* 520
Pharmacodynamics, and pharmacokinetics of vecuronium, non-invasive measurement using systems identification techniques, LINKENS, D. A., *et al.*, (*ARS*) 829P
Pharmacokinetics, and pharmacodynamics of vecuronium, non-invasive measurement using systems identification techniques, LINKENS, D. A., *et al.*, (*ARS*) 829P
Phenoperidine, pharmacokinetics in anaesthetized patients undergoing general surgery, FISCHLER, M., *et al.* 872
——, pharmacokinetics in patients undergoing cardiopulmonary bypass, FISCHLER, M., *et al.* 877
Photoelectric plethysmography, as a monitoring device in anaesthesia. Application and interpretation, DORLAS, J. C., *et al.* 524
Piracetam, does not change the anaesthetic requirement for halothane, FASSOULAKI, A., *et al.* 1110
Plethysmography, comparisons taken from finger and pinna during anaesthesia, NIJBOER, J. A., *et al.* 531
Plexus Anesthesia, Volume 1; Perivascular Techniques of Brachial Plexus Block, WINNIE, A. P., (*R*) 938
Pneumopericardium, an unusual complication of endotracheal laser surgery, VOURC'H, G., *et al.* 451
Porphyrinogenicity, of etomidate and ketamine as continuous infusions. *Screening in the DDC-primed rat model*, HARRISON, G. G., *et al.* 420
Postoperative analgesia, comparison of morphine sulphate slow release and i.m. morphine, DERBYSHIRE, D. R., *et al.* 858
——, fentanyl by constant rate i.v. infusion for, NIMMO, W. S., *et al.* 250
——, with Duromorph, CHARWAY, C. L., *et al.* 949
——, with extradural meptazinol: an open dose-finding study, RAO, U., *et al.*, (*ARS*) 814P
Postoperative pain, relief, comparison of the Cardiff Palliator and Leicester Micropalliator, VICKERS, A., *et al.*, (*ARS*) 820P
——, zomepirac, dihydrocodeine and placebo compared after day-case surgery. *The relationship between the effects of single and multiple doses*, MCQUAY, H. J., *et al.* 412
Pregnancy, and scleroderma. Anaesthetic considerations, YONKER, D., *et al.* 1136
Premedication, before day surgery. *A double-blind comparison of diazepam and placebo*, JAKOBSEN, H., *et al.* 300
——, for regional anaesthesia, comparison of midazolam, diazepam and placebo i.m. *A randomized double-blind study*, REINHART, K., *et al.* 294
Preoperative feeding, effects on gastric pH and volume in children, MEAKIN, G., *et al.*, (*ARS*) 832P
Pre-oxygenation, SELLERS, W. F. S., *et al.*, (*C*) 1268
Pressure reversal of anaesthetic mixtures. *A test of the multi-site hypothesis of general anaesthesia*, WARDLEY-SMITH, B., *et al.* 1248
Prilocaine, and lignocaine, dermal effects of a eutectic mixture (EMLA), EVERS, H. 997
Progressive muscular dystrophy, and anaesthesia, SMITH, C. L., *et al.* 1113
Propofol, and methohexitone, comparison of infusions to provide light general anaesthesia during surgery with regional blockade, JESSOP, E., *et al.* 1173
——, by continuous i.v. infusion, dose requirements in premedicated patients, COATES, D. P., *et al.*, (*ARS*) 821P
——, compared with methohexitone in the provision of anaesthesia for surgery under regional blockade, MACKENZIE, N., *et al.* 1167
——, effect of age on "induction dose" of, ROBINSON, F. P., *et al.*, (*ARS*) 349P
——, effect of speed of injection on induction of anaesthesia using, ROLLY, G., *et al.* 743
——, etomidate and thiopentone, comparison of the effects on cortisol synthesis, KENYON, C. J., *et al.* 509
——, for induction of cardiac anaesthesia. A pilot study, MCLEOD, B. J., *et al.*, (*ARS*) 822P
——, incremental, for short procedures, REDFERN, N., *et al.*, (*ARS*) 349P; 1178
——, in emulsion, compared with Althesin for induction of anaesthesia, CUMMINGS, G. C., *et al.*, (*C*) 234
——, new emulsion formulation, comparison with methohexitone and thiopentone for inducing anaesthesia in day cases, MACKENZIE, N., *et al.* 725
——, pharmacokinetics in female patients, COCKSHOTT, I. D., *et al.*, (*ARS*) 822P
——, thiopentone and etomidate, effects on adrenal steroidogenesis *in vitro*, LAMBERT, A., *et al.* 505
Psychomotor performance, assessment following i.v. diazepam or midazolam for minor oral surgery, BOSCOE, M. J., *et al.*, (*ARS*) 350P
——, effects of ethanol on, SCOTT, D. B., *et al.*, (*ARS*) 339P
Pulmonary blood flow, indicated by end-tidal carbon dioxide concentration during closed heart surgery in children. *A report of two cases*, SCHULLER, J. L., *et al.* 1257
Pulmonary gas exchange, and diaphragmatic position. *Effect of tonic phrenic stimulation compared with that of increased airway pressure*, HENEGHAN, C. P. H., *et al.* 1161

Pulmonary Surfactant System, COSMI, E. V., *et al.*, (editors), (*R*) 453
Pyridostigmine, and atropine mixed, effect on forced expiratory volume (FEV_1), and serum cholinesterase activity in normal subjects, FELDT-RASMUSSEN, B. F., *et al.* 204

Rabbit, measurement of extradural blood flow. A preliminary study, PONTE, J., *et al.*, (*ARS*) 815P
Ranitidine, oral, in labour, MACNAB, M. S. P., *et al.*, (*C*) 1040
Rebreathing, and carbon dioxide inhalation, ventilatory responses during anaesthesia in children, LINDAHL, S. G. E., *et al.* 1188
Rebreathing method, an analysis of data obtained by the ventilatory response to carbon dioxide, GOODMAN, N. W., *et al.* 311
Receptor binding, and its significance, (*E*) HULL, C. J. 131
——, significance of. Clinical actions of fentanyl and buprenorphine, BOAS, R. A., *et al.* 192
Recovery from anaesthesia, assessment using a new visual perception test, SALT, P. J., *et al.*, (*ARS*) 820P
Recovery of respiration, after neuromuscular block by gallamine, PITT, G. M., *et al.*, (*ARS*) 831P
Rectal administration, of diazepam. *Diazepam concentrations in children undergoing general anaesthesia*, SONANDER, H., *et al.* 578
Rectal induction, of anaesthesia in children with methohexitone. *Patient acceptibility and clinical pharmacokinetics*, QUAYNOR, H., *et al.* 573
Regional anaesthesia, comparison of midazolam, diazepam and placebo i.m. as premedication for. *A randomized, double-blind study*, REINHART, K., *et al.* 294
Regional blockade, comparison of infusions of propofol and methohexitone to provide light general anaesthesia during surgery with, JESSOP, E., *et al.* 1173
——, comparison of propofol with methohexitone in the provision of anaesthesia for, MACKENZIE, N., *et al.* 1167
Renal failure, effect on laudanosine excretion in man, FAHEY, M. R., *et al.* 1049
Reservoir capacity, minimum necessary to avoid air dilution. *An Experimental Model of Spontaneous Breathing Through a* T-*piece*, NAUNTON, A. 803
Resin injection, studies of the lumbar extradural space, HARRISON, G. R., *et al.* 333
Respiratory depression, caused by meptazinol in general anaesthesia, WILKINSON, D. J., *et al.* 1077
Ro 15-1788, the benzodiazepine antagonist, *in vivo* interactions with the steroid anaesthetic Althesin in rats, WARDLEY-SMITH, B., *et al.* 629

Safe anaesthetic, for laparoscopy with spontaneous respiration, BEILIN, B., *et al.*, (*C*) 1041
Scavenging equipment, GRAY, W. M. 685
Schleroderma, and pregnancy. *Anaesthetic considerations*, YOUNKER, D., *et al.* 1136
Servo 900B CPAP/IMV system modification, DE LATORRE, F. J., (*C*) 836
Sinus arrest, an unusual case, MAESTRONE, E., *et al.*, (*C*) 238
Sister chromatid exchanges, (SCE), in cigarette smokers: effects of halothane, isoflurane or subarchnoid blockade, HUSUM, B., *et al.* 1100
Sleep deprivation, effect on choice reaction time, PINNOCK, C., *et al.*, (*ARS*) 346P
Sodium nitroprusside, blood cyanide and thiocyanate concentrations produced by long-term therapy with, VESEY, C. J., *et al.* 148
——, compared with trimetaphan: electrical activity of cerebral cortex during induced hypotension in man, THOMAS, W. A., *et al.*, (*ARS*) 337P; 134
Sodium nitroprusside, measurement in blood and the determination of its half-life following infusion in man, SWEENEY, B., *et al.*, (*ARS*) 827p
Somatosensory evoked potentials, cortical, depression by nitrous oxide, SLOAN, T. B., *et al.* 849
Spinal anaesthesia, studies with hyperbaric and glucose-free 0.5% bupivacaine. A double-blind study of motor blockade in the lower limbs, AXELSSON, K. H., *et al.* 960
——, (subarachnoid), a methodological study in the rat and mouse, ÅKERMAN, S. B. A. 329
Spinal and general anaesthesia, effects on blood flow and cefoxitin disposition studied in a sheep preparation, RUNCIMAN, W. B., *et al.* 1239
Spinal blockade, with bupivacaine, effects on parturition in rats, LI, D. F., *et al.* 515
Spinal morphine, in enuresis, CARDAN, E., (*C*) 354
Spinal somatosensory evoked potentials, in sheep, effect of halothane, BAINES, D. B., *et al.* 896
Spontaneous lower oesophageal contractility, (SLOC), effect of Althesin upon, EVANS, J. M., *et al.*, (*ARS*) 340P
Steroid anaesthetic agents, derived from progesterone, enzyme inhibition, BANKS, P., *et al.* 512
Strabismus surgery, in children, comparison of four non-depolarizing neuromuscular blocking drugs in the suppression of the oculocardiac reflex during, KARHUNEN, U., *et al.* 1209
Stress response, to abdominal surgery, effect of alfentanil, MØLLER, I. W., *et al.* 591
Subarachnoid anaesthesia, compared with general anaesthesia, effects on deep vein thrombosis, MCKENZIE, P. J., *et al.* 853
——, halothane or isoflurane, effects on sister chromatid exchanges in cigarette smokers, HUSUM, B., *et al.* 1100
Subarachnoid blockade, and total hip replacement. *The effect of ephedrine on intraoperative blood loss*, THORBURN, J. 290
Sufentanil–oxygen, high-dose, comparison with high-dose fentanyl–oxygen for neuroanaesthesia, SHUPAK, R. C., *et al.* 375
Suxamethonium, induced muscle pain, failure of magnesium sulphate to prevent, CHESTNUTT, W. N., *et al.*, (*ARS*) 351P
——, side effects on the skeletal muscle and their prevention, PLÖTZ, J., (*C*) 1044
Suxamethonium spasm, VAN DER SPEK, A. F. L., *et al.*, (*C*) 353
Swallowing reflex, in cats, effects of increasing depth of anaesthesia on phrenic nerve and hypoglossal nerve activity during, NISHINO, T., *et al.* 208
Sympathectomy, chemical lumbar, quantitative assessment of the effectiveness, MCCOLLUM, P. T., *et al.* 1146

T-piece, an experimental model of spontaneous breathing through a. The minimum reservoir capacity necessary to avoid air dilution, NAUNTON, A. 803
T-piece, (Mapleson F) system, studies using. Ventilatory responses of children to changes in deadspace volume, CHARLTON, A. J., *et al.* 562
Termination of pregnancy, outpatient: halothane or alfentanil-supplemented anaesthesia, COLLINS, K. M., *et al.* 1226
The Electroencephalogram in Anesthesia. Fundamentals, Practical Applications, Examples, PILCHMAYR, I., *et al.*, (*R*) 940
The Origins of Anaesthesia, NULAND, S. B., (*R*) 454
Thermograms, infra-red, used to assess chemical sympathectomies, MCCOLLUM, P. T., *et al.* 1146
Thermoregulation, responses to cooling in patients susceptible to malignant hyperpyrexia, AYLING, J. H., *et al.* 983

Thiocyanate, and cyanide blood concentrations produced by long-term therapy with sodium nitroprusside, VESEY, C. J., *et al.* 148
Thiopentone, and ketamine, haemorrhage decreases the anaesthetic requirement for, in the pig, WEISKOPF, R. B., *et al.* 1022
——, and methohexitone compared with the new emulsion formulation of propofol for inducing anaesthesia in day cases, MACKENZIE, N., *et al.* 725
——, and tracheal intubation, ciculatory responses in patients with coronary artery disease, FISCHLER, M., *et al.* 493
——, etomidate and propofol, comparison of the effects on cortisol synthesis, KENYON, C. J., *et al.* 509
——, propofol and etomidate, effects on adrenal steroidogenesis *in vitro*, LAMBERT, A., *et al.* 505
Thoraco–abdominal volume, changes during induction of anaesthesia, MCFARLANE, H., (*ARS*) 818P
Train-of-four fade, and the speed of onset ot alcuronium, PFEIFFER, P. M., *et al.*, (*ARS*) 823P
Thrombophlebitis, infusion, LEWIS, G. B. H., *et al.* 220
Tracheal intubation, cardiovascular responses in small children. *Effects of the induction of anaesthesia with halothane*, LINDGREN, L., *et al.* 1188
——, and thiopentone, circulatory responses in patients with coronary artery disease, FISCHLER, M., *et al.* 493
——, injury to terminal branches of the trigeminal nerve following, FAITHFULL, N. S. 535
Tracheal tube cuffs, low-pressure, laboratory evaluation: large-volume *v.* low-volume, KIM, J.-M., *et al.* 913
Train-of-four fade, factors affecting, PEARCE, A. C., *et al.* 602
Transcutaneous electrodes, during anaesthesia, GALLAGHER, T. M., *et al.*, (*ARS*) 337P
Trauma and the Anaesthetist, STODDART, J. C., (*R*) 456
Traumatic coma, cerebral electrical activity influences the effects of etmoidate on cerebral perfusion pressure in traumatic coma, BINGHAM, R. M., *et al.* 843
Trimetaphan, compared with sodium nitroprusside. Electrical activity of the cerebral cortex during induced hypotension in man, THOMAS, W. A., *et al.* 134; (*ARS*) 337P
Tubocurarine, and vecuronium, interaction with midazolam in the rat *in vivo* sciatic nerve–tibialis anterior muscle preparation, DRIESSEN, J. J., *et al.* 1089
——, compared with alcuronium, pancuronium and vecuronium in the suppression of the oculocardiac reflex during strabismus surgery in children, KARHUNEN, U., *et al.* 1209
——, pancuronium and a mixture of both agents, fade characteristics and onset times, CASHMAN, J. N., *et al.* 488
——, pancuronium and atropine, influence on bronchomotor tone, SIMPSON, D. A., *et al.* 753
——, pancuronium or a mixture of both agents, latent and manifest onset characteristics after administration of, CASHMAN, J. N., *et al.*, (*ARS*) 338P

Urografin, is it anti-anaesthetic?, BAR, Z. G., (*c*) 835

Vagal afferent activity, and high frequency ventilation, HARROP-GRIFFITHS, A. W., *et al.*, (*ARS*) 819P
Vaporizers, and vaporization, WHITE, D. C. 658
Vasoactivity of amide and ester local anaesthetics. *An intradermal study*, WILLATTS, D. G., *et al.* 1006
Vecuronium, and atracurium, cause apnoea and loss of knee jerk reflex before neuromuscular block in the hand is complete, NEWTON, D. E. F., *et al.*, (*ARS*) 345P
——, and atracurium, dosage and speed of onset, HEALEY, T. E. J., *et al.*, (*ARS*) 829P
——, and atracurium, effects on the depolarization phase of the evoked compound action potential of the adductor pollicis, PUGH, N. D., *et al.*, (*ARS*) 830P
Vecuronium, and atracurium, interaction, BLACK, T. E., *et al.*, (*ARS*) 344P
——, and atracurium, use in patients with oesophageal varices, BELL, C. F., *et al.* 160
——, and tubocurarine, interaction with midazolam in the rat *in vivo* sciatic nerve–tibialis anterior muscle preparation, DRIESSEN, J. J., *et al.* 1089
——, atracurium and pancuronium, neuromuscular blocking effects during bolus and infusion administration, GRAMSTAD, L., *et al.* 1052
——, causing prolonged neuromuscular blockade. *A Case Report*, SHANKS, A. B., *et al.* 807
——, compared with tubocurarine, alcuronium and pancuronium in the suppression of the oculocardiac reflex during strabismus surgery in children, KARHUNEN, U., *et al.* 1209
——, comparison of cumulative and single bolus dose techniques for determining the potency, GIBSON, F. M., *et al.* 1060
——, effect of "priming" on intubating conditions after vecuronium. A pilot study, CLARKE, R. S. J., *et al.*, (*ARS*) 827P
——, influence of dose on onset times of neuromuscular blockade, JONES, R. M., *et al.*, (*ARS*) 828P
——, intubating conditions with, CLARKE, R. S. J., *et al.*, (*C*) 932
——, metocurine, atracurium and fazadinium, cross-reactivity with IgE antibodies from patients unexposed to these drugs but allergic to other myoneural blocking drugs, HARLE, D. G., *et al.* 1073
——, metocurine, pancuronium and atracurium, direct measurement of intra-ocular pressure in dogs during neuromuscular blockade, EARNSHAW, G., *et al.*, (*ARS*) 344P
——, non-invasive measurement of pharmacokinetics and pharmacodynamics using systems identification techniques, LINKENS, D. A., *et al.*, (*ARS*) 829P
——, use in carcinoid syndrome, SIMPSON, K. H., (*C*) 934
——, use of different doses in patients with liver dysfunction, HUNTER, J. M., *et al.* 758
Vecuronium bromide, anaesthesia for laparoscopic sterilization, CALDWELL, J. E., *et al.* 765
——, and pancuronium bromide, interaction between, RASHKOVSKY, O. M., *et al.* 1063
——, and its putative metabolites, effects of hepatic uptake on their neuromuscular blocking actions in the cat, BENCINI, A. F., *et al.* 789
——, disposition in the cat, BENCINI, A. F., *et al.* 782
——, interactions with calcium entry blockers in anaesthetized cats, ANDERSON, K. A., *et al.* 775
Venepuncture pain, clinical study of a lignocaine–pilocaine cream to relieve, HALLÉN, B., *et al.* 326
Venous admixture, relationship with inspired oxygen concentration during nitrous oxide–oxygen–halothane anaesthesia, KERR, J. H., *et al.* 1150
Ventilatory patterns, changes during halothane anaesthesia in children, MURAT, I., *et al.* 569
Ventilatory response, to carbon dioxide, *An analysis of data obtained by the rebreathing method*, GOODMAN, N. W., *et al.* 311
——, to carbon dioxide. *Implications for clinical research*, GOODMAN, N. W., *et al.* 391P
Ventilatory responses of children to changes in deadspace volume. *Studies using the T-piece (Mapleson F) system*, CHARLTON, A. J., *et al.* 562
——, to carbon dioxide in children during nitrous oxide–halothane anaesthesia, MURAT, I., *et al.* 1197
Ventricular arrhythmias, and adrenaline infiltration during gynaecological surgery, CUNNINGHAM, A. J., (*C*) 936

Verapamil–isoflurane, association induces regional myocardial dysfunction, VIDECOQ, M., *et al.*, (*ARS*) 825P
Visual perception test, new, assessment of recovery from anaesthesia, SALT, P. J., *et al.*, (*ARS*) 820P
Vomiting, induced by meptazinol, acupuncture for the relief of, CHESTNUTT, W. N., *et al.*, (*ARS*) 825P

Warning devices, KERR, J. H. 696
Weaver's Syndrome, associated anaesthetic problems, TURNER, D. R., *et al.* 1260
Wound healing, and nitrous oxide, ALGIE, T. A., *et al.* 621

Year Book of Anaesthesia (1984), MILLAR, R. D., (editor), (*R*) 1047

Zomepirac, dihydrocodeine and placebo compared in postoperative pain after day-case surgery. *The relationship between the effects of single and multiple doses*, MCQUAY, H. J., *et al.* 412